

105100140

CORNER FILE TRACKING

S:\Survey Corners\CORNERS\Templates\Filetrac2.doc
10/04/2010

CORNER NUMBER
105100140

STEP	HISTORY	RESTORATION
Form Prepared, DB	6/14/2013	
Field Inspection, DB		
Finish index (count unit)	6/14/2013	
Counter Index		
GIS Index Form		
Checked, DB		
Form Edited, DB		
Form Signed, DB		
Authorize Payment, DB		
Archive Digital Files		
Collect Documents		
PDF File		
Copy For Filming		
Scanned (pdf to laserfiche)		
Filmed (Archived), DB		
Filed, DB		

(DB) = Entry needed in database (Access).

COMMENTS:

DATE 06/14/2013TOWNSHIP 10 SOUTH, RANGE 5 WEST, WILLAMETTE MERIDIAN; SECTION 31 CORNER WEST 1/4
DONATION LAND CLAIM N/A CORNER N/A**COMMON CORNER(S):**

EAST 1/4 CORNER SECTION 36, T. 10 S., R. 6 W.

RECORDS (INFORMATION IN BOLD ITALICS IS COUNTY STAFFS' INTERPRETATION OF THE RECORD)

BASED ON EXTENSIVE RESEARCH AND RECOVERY OF EVIDENCE, THIS OFFICE HAS DETERMINED THAT MOST GENERAL LAND OFFICE SURVEYORS IN BENTON COUNTY MEASURED TO THE FACE OF BEARING TREES.

[01] GENERAL LAND OFFICE (GLO) NOTES BY BUTLER IVES, D.S., DATED OCTOBER 12, 1852. SET POST FROM WHICH A FIR 6" DIA BEARS ***N57°E, 27 LINKS (17.82 FEET)***; A FIR 30" DIA BEARS ***N74°W, 56 LINKS (36.96 FEET)***. A FIR 16" DIA BEARS ***NORTH, 0.24 CHAINS (15.84 FEET)***.

[02] BENTON COUNTY SURVEY NO. 9172 BY NORMAN D. SPRINGER, P.L.S., DATED JANUARY 21, 1997. SEARCHED FOR, NOTHING FOUND. AT PROPORTIONATE DISTANCE SET ***5/8" X 30" IRON ROD WITH YELLOW PLASTIC CAP MARKED "SPRINGER LS 1102"*** FROM WHICH A RAILROAD SPIKE IN TOP OF FIR STUMP ***22"*** DIA BEARS ***N30-1/4°W, 7.84 FEET***; RAILROAD SPIKE IN TOP OF FIR STUMP ***24"*** DIA BEARS ***S23-3/4°W, 10.1 FEET***; RAILROAD SPIKE IN TOP OF FIR STUMP ***13"*** DIA BEARS ***N46-1/4°W, 11.2 FEET***; AND RAILROAD SPIKE IN TOP OF FIR STUMP ***38"*** DIA BEARS ***N59-3/4°W, 70.1 FEET***.

FIRM/AGENCY: BENTON COUNTY SURVEYOR'S OFFICE
ADDRESS: 360 S.W. AVERY AVE., CORVALLIS OR 97333; PH. 766-6821
RESEARCH BY: DAVID L. MALONE, P.L.S.
DATA ENTRY BY: SAME