

114440700

DATE 09/27/2021TOWNSHIP 11 SOUTH, RANGE 4 WEST, WILLAMETTE MERIDIAN; SECTION 3 CORNER NORTH 1/4
DONATION LAND CLAIM N/A CORNER N/ACOMMON CORNER(S):**RECORDS (INFORMATION IN BOLD ITALICS IS COUNTY STAFFS' INTERPRETATION OF THE RECORD)**

BASED ON EXTENSIVE RESEARCH AND RECOVERY OF EVIDENCE, THIS OFFICE HAS DETERMINED THAT MOST GENERAL LAND OFFICE SURVEYORS IN BENTON COUNTY BEFORE 1890 MEASURED TO THE FACE OF BEARING TREES.

- [01] GENERAL LAND OFFICE (GLO) NOTES BY JAMES E. FREEMAN, D.S., DATED OCTOBER 25, 1851. *SET POST FROM WHICH A W. OAK 11" DIA BEARS S89°W, 88 LINKS (58.08 FEET); W. OAK 28" DIA BEARS S35°E, 162 LINKS (106.92 FEET).*
- [02] GENERAL LAND OFFICE (GLO) NOTES BY JAMES E. FREEMAN, D.S., DATED JULY 16, 1852. *INTERSECT STANDARD CORNER.*
- [03] RECORD BOOK OF SURVEYS BY ANDREW L. PORTER, C.S., PAGE 124, RECORDED JANUARY 29, 1891. *SET A STONE 20" X 14" X 6" MARKED "1/4S". BEARING TREES IN GOOD CONDITION.*
- [04] BENTON COUNTY CORNER RESTORATION NO. 611. *TRANSCRIBED FROM RECORD [03] AND MAY CONTAIN ERRORS AND/OR OMISSIONS.*
- [05] BENTON COUNTY SURVEY NO. 5143 BY JAMES E. BLAIR, P.L.S., DATED SEPTEMBER 4, 1971. *FOUND OLD OAK FENCE CORNER POST.*
- [06] BENTON COUNTY SURVEY NO. 9346 BY KELLY DAVID DOHERTY, P.L.S., DATED OCTOBER 10, 1998. *SET 5/8" X 30" ROD WITH YELLOW PLASTIC CAP MARKED "K2 SURVEYING LS 2738" AT THE NORTH 1/4 CORNER OF SECTION 3 BY PROPORTIONING THE SOUTH LINE OF SECTION 34, TOWNSHIP 10 SOUTH, RANGE 4 WEST. ROD IS N73°25'47"E, 25.02 FEET FROM FENCE CORNER POST.*
- [07] BENTON COUNTY SURVEY NO. 10704 BY W. L. LAUER, P.L.S., DATED MAY 14, 2015. *COMPUTED POSITION OF NORTH 1/4 SECTION CORNER PER C.S. 9346.*

FIRM/AGENCY: BENTON COUNTY SURVEYOR'S OFFICE
ADDRESS: 360 S.W. AVERY AVE., CORVALLIS, OR 97333; PH. 541-766-6821
RESEARCH BY: DAVID L. MALONE, P.L.S.
DATA ENTRY BY: SAME

BENTON COUNTY SURVEYORS OFFICE - CORNER RESTORATION

611-21


T 11 S, R 4 W, W. B. & M., BENTON COUNTY, OREGON

REPORTED BY A. L. Porter

SECTION 3

TITLE Benton Co. Surveyor

DATE July, 1889



● OFFICIAL CORNER FOUND

○ CORNER SET

1/4 CORNER COMMON TO SEC. 3
IS Stone, 20" x 14" x 6"
DESCRIBE

ADDITIONAL INFORMATION

"Set a stone 20" x 14 x 6"
marked 1/4 S Bearing trees in
good condition"

Surveys of A.L. Porter, pg. 124

OVER

LEGIBLE MARKS ON BEARING OBJECTS

KIND			
SIZE			
BEARING			
DISTANCE			
BT TAG POSTED			