

**115440700**

DATE 01/04/2018TOWNSHIP 11 SOUTH, RANGE 5 WEST, WILLAMETTE MERIDIAN; SECTION 3 CORNER NORTH 1/4  
DONATION LAND CLAIM N/A CORNER N/A**COMMON CORNER(S):**

POINT ON SOUTH LINE OF SECTION 34, TOWNSHIP 10 SOUTH, RANGE 5 WEST

**RECORDS (INFORMATION IN *BOLD ITALICS* IS COUNTY STAFFS' INTERPRETATION OF THE RECORD)**

BASED ON EXTENSIVE RESEARCH AND RECOVERY OF EVIDENCE, THIS OFFICE HAS DETERMINED THAT MOST GENERAL LAND OFFICE SURVEYORS IN BENTON COUNTY MEASURED TO THE FACE OF BEARING TREES.

- [01] GENERAL LAND OFFICE (GLO) NOTES BY GEORGE W. HYDE, D.S., DATED MAY 17, 1852. *SET POST FROM WHICH A W. OAK 14" DIA BEARS N56°W, 65 LINKS (42.90 FEET); A W. OAK 12" DIA BEARS S50°W, 36 LINKS (23.76 FEET).*
- [02] GENERAL LAND OFFICE (GLO) NOTES BY ROBERT ELDER, D.S., DATED FEBRUARY 26, 1853. *SOUTH QUARTER SECTION CORNER ON NORTH BOUNDARY SECTION 3.*
- [03] BENTON COUNTY SURVEY NO. 189 (OLD NO. 91) FIELD NOTES (FIELD BOOK 7, PAGE 27) BY J. A. GANONG, D.C.S., DATED OCTOBER 24, 1910. *SET OAK STAKE 4" X 4" X 18". BOTH TREES.*
- [04] BENTON COUNTY SURVEY NO. 189 (OLD NO. 91) MAP BY UNKNOWN DRAFTSMAN, DATED OCTOBER 24, 1910. *OAK STAKE. OAK (GLO BT) BEARS N56°W, 0.65 CHAINS (42.90 FEET); OAK (GLO BT) BEARS S50°W, 0.36 CHAINS (23.76 FEET).*
- [05] BENTON COUNTY SURVEY NO. 189 (OLD NO. 91) MAP (RECORD OF PLATS BOOK 3, PAGE 84) BY UNKNOWN DRAFTSMAN, NO DATE GIVEN. *OAK STAKE.*
- [06] BENTON COUNTY CORNER RESTORATION BOOK NO. 1, PAGE 39, BY UNKNOWN DRAFTSMAN, NO DATE GIVEN. *SET A 4" X 4" X 30" OAK STAKE FROM WHICH AN OAK (GLO BT) AND AN OAK (GLO BT) – SEE ORIGINAL NOTES. A DIFFERENT PEN CROSSED OUT THE 4" X 4" X 30" OAK STAKE AND WROTE 3/4" PIPE AND BRASS CAP AND WROTE N56°W, 0.65 CHAINS (42.90 FEET) AND S50°W, 0.366 CHAINS (24.16 FEET).*
- [07] BENTON COUNTY CORNER RESTORATION NO. 684. *TRANSCRIBED FROM RECORD [06] AND MAY CONTAIN ERRORS AND/OR OMISSIONS.*
- [08] BENTON COUNTY SURVEY NO. 349 (OLD NO. 167) FIELD NOTES (FIELD BOOK 14, PAGE 24) BY W. C. GALLOWAY, C.S., NO DATE GIVEN. *CORNER NOT DESCRIBED.*
- [09] BENTON COUNTY SURVEY NO. 349 (OLD NO. 167) BY UNKNOWN DRAFTSMAN, NO DATE GIVEN. *3/4" PIPE BRASS CAP. FOUR BEARING TREES ARE LISTED THAT ARE ACTUALLY THE BEARING TREES FOR THE EAST 1/4 CORNER OF SECTION 3.*
- [10] BENTON COUNTY MAP NO. 11-5-00004 BY UNKNOWN DRAFTSMAN, NO DATE GIVEN. *3/4" PIPE BRASS CAP. FOUR BEARING TREES ARE LISTED THAT ARE ACTUALLY THE BEARING TREES FOR THE EAST 1/4 CORNER OF SECTION 3.*
- [11] BENTON COUNTY SURVEY NO. 1189 (OLD NO. 337) FIELD NOTES (FIELD BOOK 83, PAGE 4) BY WALTER W. LARSEN, D.C.S., NO DATE GIVEN. *CORNER NOT DESCRIBED.*
- [12] BENTON COUNTY MAP NO. 10-5-00010 BY UNKNOWN DRAFTSMAN, NO DATE GIVEN. *CORNER NOT DESCRIBED.*
- [13] BENTON COUNTY SURVEY NO. 9041 BY UNKNOWN DRAFTSMAN, MARCH 30, 1927. *3/4" PIPE BRASS CAP. OAK (GLO BT) BEARS N56°W, 0.65 CHAINS (42.90 FEET); OAK (GLO BT) BEARS S50°W, 0.366 CHAINS (24.16 FEET).*
- [14] BENTON COUNTY SURVEY NO. 6501 BY BRUCE STARKER, P.L.S., DATED SEPTEMBER 26, 1964. *IRON PIPE WITH CAP.*
- [15] BENTON COUNTY SURVEY NO. 4153 BY R. M. MORRIS, P.E., DATED JULY 1965. *FOUND 3/4" PIPE WITH BRASS CAP AS SET BY THE SCHOOL OF FORESTRY.*
- [16] BENTON COUNTY SURVEY NO. 9218 BY HARVEY M. CHRISTENSEN, P.L.S., DATED JUNE 21, 1997. *FOUND MCDONALD FOREST 2.25" BRASS CAP. NOTE: CAP STAMPED WRONG. OAK 17" DIA (GLO BT) BEARS S55°W, 25.4 FEET, HOLLOW FACE; OAK 19" DIA (GLO BT) BEARS N53°W, 43.4 FEET, HOLLOW SHELL. D. FIR 21" DIA BEARS N30°E, 14.4 FEET, BLAZED AND SCRIBED "X" "BT"; W. OAK 9" DIA BEARS N51°W, 13.5 FEET, BLAZED AND SCRIBED "X" "BT"; D. FIR 24" DIA BEARS S45°W, 17.3 FEET, BLAZED AND SCRIBED "N1/4 S3 BT"; D. FIR 20" DIA BEARS S50°E, 66.8 FEET, BLAZED AND SCRIBED "N1/4 S3 BT".*

**FIRM/AGENCY:** BENTON COUNTY SURVEYOR'S OFFICE  
**ADDRESS:** 360 S.W. AVERY AVE., CORVALLIS, OR 97333; PH. 541-766-6821  
**RESEARCH BY:** DAVID L. MALONE, P.L.S.  
**DATA ENTRY BY:** SAME

For Road #302

Sec. cor to sect 10, 11, 14 & 15 Tp. 11 S. R. 6 W  
 Set a harrowtooth between two brick under a brick (35umps stl.)  
 Fir 6" in dia. bears S. 5° 40' W. 798 chs.  
 Oak 16" " " N. 55° 43' W. 2.326 "  
 Witnessed W.H. Ellenburgh & A.C. Johnson June 27, 1912.

Cor. sec. 34 & 35 Tp. 10 S. R. 5 W.  
 Set <sup>3/4" pipe + brass cap.</sup> 4x4x30" Oak stake for cor. from which  
 An Oak 12" dia. br. N. 27° 15' E 2.17 lbs dist.  
 An Oak 10" " " N. 54° 30' W 2.22 "

1/4 cor. sec. 34 Tp. 10 S. R. 5 W Tp. line  
 Set 4x4x30" Oak stake for cor. from which  
 an Oak 30" dia. br. N 32° 45' E 78 lbs dist.  
 a fir 4" dia. br. N 29-30 W 227 " "

1912.  
 Cor. sec. 33 & 34 Tp. 10 S. R. 5 W Tp. line  
 Set 4x8x8" stone for cor. from which  
 An Oak 10" dia. br. N 79° 25' E 98 lbs dist.  
 " " 8" " " N 34° 45' W 693 " "

1912.  
 1/4 cor. sec. 3 Tp. 11 S. R. 5 W Tp. line  
 Set a <sup>3/4" pipe + brass cap.</sup> 4x4x30" Oak stake from which  
 An Oak } N 56° 10' 65 ch  
 " Oak } All original notes.  
 " " } S 50° W .366

1912.  
 1/4 cor. sec. 2 & 3 Tp. 11 S. R. 5 W.  
 Set 4x4x36" Oak stake from which  
 an Oak 24" dia. br. N. 70° 45' E 273 lbs dist.  
 " Fir 17" 18" " " N 27° 30' W 257 " "  
 " " 24" " " " S 47° E .158 " "

1912.  
 1/4 cor. sec. 3 & 4 T. 11 S. R. 5 W.  
 Set 5x5x36" Yew stake for cor. from which  
 a maple 4" dia. br. S 27° 30' E 97.4 lbs dist.  
 N.W. original tree standing

1912.  
 W.C.G.  
 April 1936.  
 1/4 sec. cor. sec. 4 & 5 T. 11 S. R. 5 W.  
 Removed stone & Set 2"x30" car axle in place of stone; stone removed and axle set.  
 Set a stone 8x8x16" for cor. from which  
 an Oak 5" dia. br. N 85° 45' E 2.14 lbs dist.  
 " " 4" " " N 7° 30' W 68.4 " "

1912.  
 1/4 sec. cor. sec. 5 & 6 T. 11 S. R. 5 W  
 Set 4x4x36" fir limit for cor. from which  
 a maple 12" dia. br. S 12° 20' E 63.3 lbs dist.  
 N.W. original standing

1912.  
 1/4 cor. sec. 5. Tp. line Tp. 11 S. R. 5 W  
 Set 4x4x30" fir stake for cor. from which  
 a fir 6" dia. br. N 23° E 27.4 lbs dist.  
 Both original trees standing.



684

$\frac{1}{4}$ -Corner section 3, Twp 11 S R 5 W, Twp. line

Reestablishment by W. C. Galloway

June 1912

Set a  $\frac{3}{4}$ " pipe and brass cap

Oak bears N  $56^{\circ}$  W .65 chains

Oak bears S  $50^{\circ}$  W .366 chains