

135540100

DATE 11/12/2003TOWNSHIP 13 SOUTH, RANGE 05 WEST, WILLAMETTE MERIDIAN; SECTION 35 CORNER SOUTH 1/4
DONATION LAND CLAIM N/A CORNER N/A**COMMON CORNER(S):**

POINT ON NORTH LINE OF SECTION 2, TOWNSHIP 14 SOUTH, RANGE 5 WEST

RECORDS (INFORMATION IN *BOLD ITALICS* IS COUNTY STAFFS' INTERPRETATION OF THE RECORD)

BASED ON EXTENSIVE RESEARCH AND RECOVERY OF EVIDENCE, THIS OFFICE HAS DETERMINED THAT MOST GENERAL LAND OFFICE SURVEYORS IN BENTON COUNTY MEASURED TO THE FACE OF BEARING TREES.

- [01] GENERAL LAND OFFICE (GLO) NOTES BY JAMES E. FREEMAN, D.S., DATED FEBRUARY 2, 1853. *SET POST FROM WHICH A CRAB APPLE 4" DIA BEARS N48-1/2°E, 17 LINKS (11.22 FEET); A CRAB APPLE 5" DIA BEARS N3°W, 20 LINKS (13.20 FEET).*
- [02] BENTON COUNTY ROAD NO. 35022 (OLD NO. 359) FIELD NOTES (FIELD BOOK 18, PAGE 78) BY W. C. GALLOWAY, C.S., NO DATE GIVEN. *SET 3/4" PIPE. ASH 32" DIA BEARS N6°E, 0.717 CHAINS (47.32 FEET); ASH 11" DIA BEARS N44°30'W, 0.477 CHAINS (31.48 FEET).*
- [03] BENTON COUNTY CORNER RESTORATION BOOK 1, PAGE 94 BY W. C. GALLOWAY, C.S., DATED APRIL 23, 1915. *SET 3/4" PIPE. ASH 32" DIA (CSBT) BEARS N6°E, 0.717 CHAINS (47.32 FEET); ASH 11" DIA (CSBT) BEARS N44°30'W, 0.477 CHAINS (31.48 FEET).*
- [04] BENTON COUNTY CORNER RESTORATION NO. 1787. *TRANSCRIBED FROM RECORD NO. [03] AND MAY CONTAIN ERRORS AND/OR OMISSIONS.*
- [05] BENTON COUNTY MAP NO. 13-5-00017 BY W. C. GALLOWAY, C.S., DATED APRIL/OCTOBER, 1915. *3/4" PIPE.*
- [06] BENTON COUNTY LOOSE LEAF FIELD NOTES FOR ROUTE 22, SECTION B, 1957 BRIDGE CHANGE, COUNTY ROAD NO. 35220, BY RICHARD W. FAIL, P.L.S., DATED 1957. *FOUND 3/4" IRON PIPE.*

FIRM/AGENCY: BENTON COUNTY SURVEYOR'S OFFICE
ADDRESS: 360 S.W. AVERY AVE., CORVALLIS, OR 97333; PH. 541-766-6821
RESEARCH BY: BERNARD S. ALTENBACH, ENGINEER/SURVEY TECH.
DATA ENTRY BY: BSA

CORNER RESTORATION BOOK NO. 1

ST Road # 359 S.W. corner of Robt. D. Grimsley Cl. # 49 T. 13 S. R. 5 W.

Stone 6" x 10" x 2" already set.

In fence row both N, S, & E.

Witness Hugh Taylor April 27, 1915.

Cor. to Secs. 34 & 35 on 3rd std. parallel T. 13 S. R. 5 W.

Set $\frac{3}{4}$ " pipe

Ash 8" bears S. 65° 35' W. 1.848 chs.

Forced, 14" " N 62° W. 1.414 "

Witness Hugh Taylor April 28, 1915.

Cor. to secs. 2 & 3 on 3rd std. parallel T. 14 S. R. 5 W.

Set $\frac{3}{4}$ " pipe

Ash 15" bears N. 24° 22' W. 8.806 chs.

Witness Hugh Taylor April 28, 1915.

$\frac{1}{4}$ sec. cor. on S. of sec. 35 3rd std. parallel T. 13 S. R. 5 W.

Set $\frac{3}{4}$ " pipe

Ash 32" in dig. bears N. 6° E. .717 chs.

" 11" " " " N. 44° 30' W. .477 "

Witness Hugh Taylor April 28, 1915.

$\frac{1}{4}$ sec. cor. on N. of sec. 2-3rd std. parallel T. 14 S. R. 5 W.

Set $\frac{3}{4}$ " pipe S.E. oak gone was in field.

Oak 10" bears S. 33° 15' E. .428 chs.

" 10" " S. 50° W. 2.25 " std.

Witness Hugh Taylor April 24, 1915.

Cor. to secs. 35 & 36 on 3rd std. parallel T. 13 S. R. 5 W.

Set $\frac{3}{4}$ " pipe N.W. oak stamp

Oak 24" bears N. 15° E. 3.27 chs. std.

" 8" " N. 15° W. 3.871 "

Witness Hugh Taylor April 24, 1915.

Cor. to secs. 1 & 2 on 3rd std. parallel T. 14 S. R. 5 W.

Set $\frac{3}{4}$ " pipe

Ash 8" bears S. 77° W. 3.20 chs. std.

Witness Hugh Taylor April 28, 1915.

$\frac{1}{4}$ sec. cor. on N. of sec. 1 T. 14 S. R. 5 W.

Set a $\frac{3}{4}$ " pipe Maple stump close check.

Ash 13" bears S. 51° 15' W. .582 chs.

" 11" " N 44° 40' W. .677 "

Witness Hugh Taylor April 29, 1915.

Cor. to secs. 27, 28, 33 & 34 T. 14 S. R. 5 W.

Set $\frac{1}{4}$ " pipe replaced a stake

Oak 10" bears N. 2° E. 1.00 chs. std.

" 24" " S. 72° 30' E. 3.286 "

" 14" " S 86° W. 1.37 " "

" 12" " N. 42° 15' W. .75 " "

Witnesses J. M. Gillis & Frank Curry May 17, 1915.

$\frac{1}{4}$ sec. cor. between secs. 27 & 34 T. 14 S. R. 5 W.

Set $\frac{3}{4}$ " galv. pipe 10" under surface

Ash 24" bears N. 67° E. 4.77 chs. std. Brng. taken from line to mark. Ash.
Ash is hollow and .40" in dia.

Witnesses J. M. Faris & Miller June 8, 1915.

CS. #22

B. Wilkes
Dep. CS.

CS # 24

CS #242

$\frac{1}{4}$ -Section Corner on S of sec. 35, 3rd Std. parallel, Twp. 13 S., R. 5 W.

Reestablishment by W. C. Galloway

April 28, 1915

2140

Set $\frac{3}{4}$ " pipe

Ash 32" in diam bears N 6° E

.717 chains

1787

Ash 11" in diam bears N 44° 30' W

.477 chains

Witness Hugh Taylor