

**136400340**

DATE 08/25/2020TOWNSHIP 13 SOUTH, RANGE 6 WEST, WILLAMETTE MERIDIAN; SECTION 21 CORNER EAST 1/4  
DONATION LAND CLAIM N/A CORNER N/A**COMMON CORNER(S):**

WEST 1/4 CORNER SECTION 22

**RECORDS (INFORMATION IN *BOLD ITALICS* IS COUNTY STAFFS' INTERPRETATION OF THE RECORD)**

BASED ON EXTENSIVE RESEARCH AND RECOVERY OF EVIDENCE, THIS OFFICE HAS DETERMINED THAT MOST GENERAL LAND OFFICE SURVEYORS IN BENTON COUNTY BEFORE 1890 MEASURED TO THE FACE OF BEARING TREES.

- [01] GENERAL LAND OFFICE (GLO) NOTES BY HARVEY GORDON, D.S., AND JOSIAH W. PRESTON, D.S., DATED SEPTEMBER 7, 1854. SET POST FROM WHICH A R. FIR 60" DIA BEARS S2°E, 169 LINKS (111.54 FEET); R. FIR 18" DIA BEARS N50°W, 119 LINKS (78.54 FEET).
- [02] BENTON COUNTY SURVEY NO. 1247 (OLD NO. 208) FIELD NOTES (FIELD BOOK 73, PAGE 14) BY W. C. GALLOWAY, C.S., DATED MAY 18, 1935. SET 3/4" GALVANIZED PIPE 24" LONG FROM FIR 60" DIA (GLO BT) BEARS S2°E, 1.69 CHAINS (111.54 FEET), DEAD, LETTERS ON UPPER BLAZE; FIR 18" DIA (GLO BT) BEARS N44°30'W, 1.19 CHAINS (78.54 FEET). MARKED FIR 12" DIA BEARS S41°W, 0.368 CHAINS (24.29 FEET).
- [03] BENTON COUNTY CORNER RESTORATION BOOK NO. 1, PAGE 208, BY W. C. GALLOWAY, C.S., DATED MAY 18, 1935. SET 3/4" GALVANIZED PIPE 24" LONG. FIR 60" DIA (GLO BT) BEARS S2°E, 1.69 CHAINS (111.54 FEET), DEAD SNAG, LETTERS ON UPPER BLAZE; FIR 18" DIA (GLO BT) BEARS N44-1/2°W, 1.19 CHAINS (78.54 FEET), STANDING. MARKED FIR 12" DIA (CSBT) BEARS S41°W, 0.368 CHAINS (24.29 FEET).
- [04] BENTON COUNTY CORNER RESTORATION NO. 1899. TRANSCRIBED FROM RECORD [03] AND MAY CONTAIN ERRORS AND/OR OMISSIONS.
- [05] BENTON COUNTY MAP NO. 13-6-00014 BY W. C. GALLOWAY, C.S., DATED MAY 29, 1935. SET 3/4" GALVANIZED PIPE 24" LONG. FIR 60" DIA (GLO BT) BEARS S2°E, 1.69 CHAINS (111.54 FEET), DEAD. FIR 18" DIA (GLO BT) BEARS N44-1/2°W, 1.19 CHAINS (78.54 FEET), STANDING. FIR 12" DIA (CSBT) BEARS S41°W, 0.368 CHAINS (24.29 FEET).
- [06] BENTON COUNTY SURVEY NO. 4982 BY KENNETH M. WIGHTMAN, II, P.L.S., DATED DECEMBER 14, 1970. FOUND 3/4" PIPE WITH A FIR STUMP 60" DIA (GLO BT) BEARS S2°E, 111.5 FEET; FIR STUMP 48" DIA (GLO BT) BEARS N44-1/2°W, 78.5 FEET; FIR STUMP 22" DIA (CSBT) BEARS S41°W, 24.3 FEET. FOUND A MARKED FIR STUMP 24" DIA BEARS N18°W, 8.80 FEET.
- [07] BUREAU OF LAND MANAGEMENT (BLM) NOTES BY FRANK A. TUERS AND ROBERT L. AARSETH, CADASTRAL SURVEYORS, DATED MARCH 12, 1985. THE 1/4 SECTION CORNER MONUMENTED WITH AN IRON PIPE, 3/4" DIA, FIRMLY SET, PROJECTING 1" ABOVE GROUND, FROM WHICH A FIR STUMP 60" DIA (GLO BT) BEARS S3-1/2°E, 170-1/2 LINKS (112.53 FEET), NO MARKS VISIBLE; FIR STUMP 54" DIA (GLO BT) BEARS N45-1/4°W, 119 LINKS (78.54 FEET), WITH SCRIBE MARKS "1/4 S BT" VISIBLE ON OPENED BLAZE; FIR STUMP 16" DIA (SCBT) BEARS S41°W, 36-1/2 LINKS (24.09 FEET), WITH HEALED BLAZE. AT THE CORNER POINT SET AN IRON POST, 28" LONG, 2-1/2" DIA, 22" IN THE GROUND, DIRECTLY OVER THE IRON PIPE, WITH BRASS CAP MARKED "T13S R6W 1/4 S21 S22 1985" FROM WHICH A FIR 15" DIA BEARS S29°E, 12 LINKS (7.92 FEET), MARKED "1/4 S22 BT"; FIR 10" DIA BEARS S24-1/2°W, 30-1/2 LINKS (20.13 FEET), MARKED "1/4 S21 BT".

**FIRM/AGENCY:** BENTON COUNTY SURVEYOR'S OFFICE  
**ADDRESS:** 360 S.W. AVERY AVE., CORVALLIS, OR 97333; PH. 541-766-6821  
**RESEARCH BY:** DAVID L. MALONE, P.L.S.  
**DATA ENTRY BY:** SAME

## BENTON COUNTY CORNER RESTORATION BOOK NO. 1

C.S. 208 Cont.  
by W.C. Galloway  
Witnesses, Adnan Seits,  
James Johnston  
and Roy Starr  
May 18, 1935

$\frac{1}{4}$  Sec. corner between sections 21 & 22 T. 13 S. R. 6 W.  
Set a  $\frac{3}{4}$ " Galv. pipe 24" long  
Fir 60" in dia. bears S. 2° E. 1.69 chs. dead snag, letters on upper base  
" 18" " " " N. 44½° W. 1.19 " std.  
Mkd. " 12" " " " S. 41° W. .368 "

As above  
May 22, 1935

$\frac{1}{4}$  Sec. corner between sections 22 & 27 T. 13 S. R. 6 W.  
Set a 1½" x 20" pipe  
Fir 8" (mo 33") in dia. bears S. 84° W. .55 chs. std.  
Mkd. fir 20" " " " N 73° 40' E. 480"  
" Yew 24" " " " S 13° 30' E. 634"

As above  
May 24, 1935

Corner to Sections 21, 22, 27 & 28 T. 13 S. R. 6 W.  
Set a  $\frac{3}{4}$ " x 24" pipe (6" of pipe lying by vertical pipe)  
Fir 12" in dia. bears N. 46° E. 96 links, std.  
Dogwood 6" " " " S. 44° E. 145 " "  
Mkd. fir 60" " " " S. 29½° W. 103.4" to face and 106.7 to cen.  
" Yew 6" " " " S. 42° W. 119 " std. dead  
Fir 8" " " " " N. 68° W. 143 " stump with B.T.  
" " 11" " " " N. 11° W. 64.0"

C.S. 339 Cont.  
by W.C. Galloway  
Feb. 7, 1936.

Corner to sections 11, 12, 13 & 14 T. 11 S. R. 6 W. Will. Mer.  
Set a 2" x 20" shaft. <sup>not found</sup> Found cherry 4" N. 70° W. .26 of chain, others down and gone.  
Marked o-fir 24" in dia. bears N. 19° 20' E. 739 chs. (cut) bearings from line  
" " 35" " " " S. 72° 40' E. 660 " windthrown 1929  
" " 56" " " " S. 39° 30' W. " "  
" " 56" " " " N. 74° W. 480 chs. Nail in north side for measure

"

$\frac{1}{4}$  Section corner between sections 12 & 13 T. 11 S. R. 6 W.  
Set a  $\frac{3}{4}$ " x 30" Galv. pipe. From Fir 7" N. 6° E. 35/ks. std. dead and  
Group of Maples around position of Maple 2° S 15° E 7 links.  
Mkd. Maple 12" in dia. bears S. 16° E. .046 of chain bearings from line  
" a fir .26" " " " N. 72° W. 391 " " "

C.S. 243 con  
Witnesses  
W.D. Risley,  
Harold McCormick  
Willis L. Buok  
May 7, 1936.

Corner to Secs. 32, 33, 4 & 5 Tps. 14 & 15 S. R. 8 W. W.M.  
Set 5/8" x 24" boll stones  
From Alder 8" S. 31° E. .06 chs. std.  
" From 4" S. 3½° W. .58 " " , Fir 8" N. 32° W. 49 down  
Mkd. Alder 14" S. 12½° W. 122 "  
Blazed Fir 30" N. 32° W. 969 "

Witness etc as  
above

$\frac{1}{4}$  Sec. Cor. bet. Secs. 32 & 33 T. 14 S. R. 8 W  
Set a  $\frac{3}{4}$ " x 19" Iron rod. Orig. cor.  
Alder 12" in dia. bears S. 16° E. .72 std. (Bearings from S. 17° E. linked as last)  
Fir 24" " " " N. 13° W. 184 " - 197 to cen. of tree.

$\frac{1}{4}$ -Section corner between sections 21 and 22, Twp. 13 S., R. 6 W. 1899

Reestablishment by W. C. Galloway

May 18, 1935

Set a  $\frac{3}{4}$ " galvanized pipe, 24" long.

Fir 60" in diam bears S 2° E

1.69 chains

Fir 18" in diam bears N 44 $\frac{1}{2}$ ° W

1.19 chains

Fir 12" in diam bears S 41° W

.368 chains

Witnesses Adrian Seits and James Johnston, also Roy Starr

2282