

136853040

DATE 10/08/2015

TOWNSHIP 13 SOUTH, RANGE 6 WEST, WILLAMETTE MERIDIAN; SECTION 11 CORNER N/A
DONATION LAND CLAIM WILLIAM W. WILKINSON NO. 53 CORNER NORTHWEST

COMMON CORNER(S):

RECORDS (INFORMATION IN BOLD ITALICS IS COUNTY STAFFS' INTERPRETATION OF THE RECORD)
BASED ON EXTENSIVE RESEARCH AND RECOVERY OF EVIDENCE, THIS OFFICE HAS DETERMINED THAT MOST GENERAL LAND OFFICE SURVEYORS IN BENTON COUNTY MEASURED TO THE FACE OF BEARING TREES.

[01] GENERAL LAND OFFICE (GLO) NOTES OF THE WILLIAM W. WILKINSON DONATION LAND CLAIM (DLC) NO. 53 BY DENNIS HATHORN, D.S., DATED 1855. **NORTHWEST CORNER FROM WHICH AN OAK 24" DIA BEARS S87-1/2°W, 153 LINKS (100.98 FEET); AN OAK 20" DIA BEARS S51°E, 156 LINKS (102.96 FEET).**

[02] BENTON COUNTY SURVEY NO. 67 BY G. H. WAGGONER, C.S., DATED APRIL 22, 1902. **BOTH BEARING TREES STANDING. ESTABLISH CORNER BY THE SAME.**

[03] BENTON COUNTY SURVEY NO. 591 (OLD NO. 256) FIELD NOTES (FIELD BOOK 22, PAGE 72) BY W. C. GALLOWAY, C.S., DATED MAY 21, 1917. **SET QUART BOTTLE 14" UNDER SURFACE. OAK 20" DIA (GLO BT) BEARS S55°E, 1.56 CHAINS (102.96 FEET) STANDING; OAK 24" DIA (GLO BT) BEARS N87°30'W, 1.53 CHAINS (100.98 FEET) STANDING.**

[04] BENTON COUNTY CORNER RESTORATION BOOK NO. 1, PAGE 123 BY W. C. GALLOWAY, C.S., DATED MAY 21-25, 1917. **SET QUART BOTTLE 14" UNDER SURFACE. OAK 20" DIA (GLO BT) BEARS S55°E, 1.56 CHAINS (102.96 FEET) STANDING; OAK 24" DIA (GLO BT) BEARS N87°30'W, 1.53 CHAINS (100.98 FEET) STANDING.**

[05] BENTON COUNTY CORNER RESTORATION NO. 2003. **TRANSCRIBED FROM RECORD [04] AND MAY CONTAIN ERRORS AND/OR OMISSIONS.**

[06] BENTON COUNTY MAP NO. 13-6-00006 BY W. C. GALLOWAY, C.S., DATED MAY 26, 1917. **QUART BOTTLE 14" UNDER SURFACE. OAK 20" DIA (GLO BT) BEARS S55°E, 1.56 CHAINS (102.96 FEET) STANDING; OAK 24" DIA (GLO BT) BEARS N87°30'W, 1.53 CHAINS (100.98 FEET) STANDING.**

FIRM/AGENCY: BENTON COUNTY SURVEYOR'S OFFICE
ADDRESS: 360 S.W. AVERY AVE., CORVALLIS, OR 97333; PH. 541-766-6821
RESEARCH BY: DAVID L. MALONE, P.L.S.
DATA ENTRY BY: SAME

- C.S. #46 cont.
- 1/4 sec. cor. bet. secs. 20 & 29 T. 11 S. R. 6 W.
 Set. 2 Qt. bottles $\frac{1}{2}$ below flag.
 Apple tree 8" in dia. bears S. 55° E. 17.25' cbs.
 Oak 22" " " N. 17° 02' W. 9.717 "
 Anchor post 14" " N. 55° 27' W. 3.507 " + 3" cen. post.
 Witnesses R. E. Nelson & W. R. Read. May 18, 1917.
- C.S. #256
 Williams -
 J. O. Wilson
 Jas. Foster
 E. Dummer
 May 21-25, 1917
- S. W. cor. of James South D. f. C. # 38 T. 13 S. R. 6 W.
 Reset stone 12" x 12" x 25"
 U.S. G. S. B. m. bears S. 79° 55' W. 1.767 cbs.
 A stone 3' x 10" x 10" N. 20' E. 1.303 cbs.
- N. E. cor. of Wm. Bennett or the Gates Cl. # 50 T. 13 S. R. 6 W.
 An iron set 1' x 4' x 20" set at corner
 West side of anchor post bears S. 69' cbs.
 S. E. cor.
 S. E. cor. of Andrew Jasper D. f. C. # 49 T. 13 S. R. 6 W.
 U stone 6" x 5" x 20" set at corner.
 Laminel 17" in dia. bears S. 80° E. 1.160 cbs.
 Oak 7" " " S. 10° E. 1.022 "
 Oak 30" " " S. 23° E. 1.855 " set
 Oak 30" " " S. 4° E. 1.225 " set.
- S. E. ext. cor. of Andrew Jasper Cl. # 49 T. 13 S. R. 6 W.
 Set of 4 bottles under iron 1' x 4' x 30"
 Oak S. 57° E. gone.
 Set from S. W. of Cl. # 43 which is West 1.000 cbs
- S. W. cor. of James B. Duvain Cl. # 43 T. 13 S. R. 6 W.
 Set of 4 bottles ~~under~~
 Oak 20" in dia. bears S. 3° 05' W. 7.791 cbs. set 1.000
- S. E. cor. of James B. Duvain Cl. # 43 T. 13 S. R. 6 W.
 Set 3/4" x 50" iron rod + glass proportional dist. on line.
 Oak 12" in dia. bears N. 17° 30' E. 1.498 cbs.
 " 12" " " N. 14° 30' W. 1.860 "
- N. E. cor. of Wm. W. Wilkerson Cl. # 53 T. 13 S. R. 6 W.
 Set 3/4" iron rod 36" long. proportional dist. on line
 A stone set for division of 41.7 S. halves of Cl. # 43
 Is south 1.572 cbs. and 0.119 cbs. West.
- N. W. cor. of Wm. W. Wilkerson Cl. # 53 T. 13 S. R. 6 W.
 Set of 4 bottles ~~under~~
 Oak 20" in dia. bears S. 5° 5' E. 1.156 cbs. set
 " 27" " " N. 87° 30' W. 1.513 "

#734

51)

arrow.



N. W. corner of William W. Wilkerson Cl 53, Twp. 13 S. R. 6 W. 2003

Reestablishment by W. C. Galloway

May 25, 1917

Set qt. bottle 14" under surface.

Oak 20" in diam bears S 55° E

1.56 chains

Oak 24" in diam bears N 87° 30' W

1.53 chains

Witnesses J. C. Wilson, Jess Foster, and E. J. Dunn