

146854030

DATE 00/00/0000

TOWNSHIP 14 SOUTH, RANGE 6 WEST, WILLAMETTE MERIDIAN; SECTION 14 CORNER N/A
DONATION LAND CLAIM JOHN W. STARR NO. 54 CORNER SOUTHEAST

COMMON CORNER(S):

NORTHEAST CORNER OF THE JAMES W. MCINTYRE DONATION LAND CLAIM (DLC) NO. 58
POINT ON THE WEST LINE OF THE HEMAN C. BUCKINGHAM DONATION LAND CLAIM NO. 53

RECORDS (INFORMATION IN *BOLD ITALICS* IS COUNTY STAFFS' INTERPRETATION OF THE RECORD)

BASED ON EXTENSIVE RESEARCH AND RECOVERY OF EVIDENCE, THIS OFFICE HAS DETERMINED THAT MOST GENERAL LAND OFFICE SURVEYORS IN BENTON COUNTY BEFORE 1890 MEASURED TO THE FACE OF BEARING TREES.

- [01] GENERAL LAND OFFICE (GLO) NOTES OF THE HEMAN C. BUCKINGHAM DONATION LAND CLAIM (DLC) NO. 53 BY DENNIS HATHORN, D.S., DATED JANUARY 25, 1855. *CORNER NOT DESCRIBED.*
- [02] GENERAL LAND OFFICE (GLO) NOTES OF THE JOHN W. STARR DONATION LAND CLAIM (DLC) NO. 54 BY DENNIS HATHORN, D.S., DATED JANUARY 26, 1855. *SET STONE POST 6" X 6" X 24" FROM WHICH AN OAK 24" DIA BEARS S70°W, 325 LINKS (214.50 FEET); OAK 18" DIA BEARS S30°W, 252 LINKS (166.32 FEET).*
- [03] GENERAL LAND OFFICE (GLO) NOTES OF THE JAMES W. MCINTYRE DONATION LAND CLAIM (DLC) NO. 58 BY DENNIS HATHORN, D.S., DATED FEBRUARY 5, 1855. *STONE 6" X 6" X 24" FROM WHICH AN OAK 24" DIA BEARS S70°W, 325 LINKS (214.50 FEET); OAK 18" DIA BEARS S30°W, 252 LINKS (166.32 FEET).*
- [04] BENTON COUNTY SURVEY NO. 307 (OLD NO. 149) FIELD NOTES (FIELD BOOK 13, PAGE 1) BY J. A. GANONG, D.C.S., DATED APRIL 23, 1912. *STONE 6" X 6" X 24". OAK 17" DIA BEARS S17°W, 2.143 CHAINS (141.44 FEET); OAK 34" DIA BEARS S60°45'W, 3.512 CHAINS (231.79 FEET).*
- [05] BENTON COUNTY CORNER RESTORATION BOOK NO. 1, PAGE 161, BY J. A. GANONG, D.C.S., DATED APRIL 23, 1912. *ORIGINAL STONE 6" X 6" X 24". OAK 17" DIA BEARS S17°W, 2.143 CHAINS (141.44 FEET); OAK 34" DIA BEARS S60-3/4°W, 3.512 CHAINS (231.79 FEET).*
- [06] BENTON COUNTY CORNER RESTORATION NO. 2458. *TRANSCRIBED FROM RECORD [05] AND MAY CONTAIN ERRORS AND/OR OMISSIONS.*
- [07] BENTON COUNTY SURVEY NO. 8464 BY THEODORE JAMES LANGTON, P.L.S., DATED SEPTEMBER 24, 1990. *MONUMENT AND BEARING TREES GONE.*

FIRM/AGENCY: BENTON COUNTY SURVEYOR'S OFFICE
ADDRESS: 360 S.W. AVERY AVE., CORVALLIS, OR 97333; PH. 541-766-6821
RESEARCH BY: DAVID L. MALONE, P.L.S.
DATA ENTRY BY: SAME

C.S. #113
 W.C. Galloway
 Albert Shriber
 G.H. Bath.
 July 27 1911.

N.W. corner of Wm. Matzger D.L.C. 50 T 12-6
 Original oak tree 36" for corner. which checks from witness trees
 Oak 12" in dia. bears S. 40° E. 94 chs. std.
 " 30" " " N. 88° W. 1.91 " "

North Exterior corner of Wm Matzger D.L.C. 50 T 12-6
 Original stone 12"x14"x? Marked C 50
 Oak 24" in dia. bears S. 85° E. 2.22 chs. Gout. tree.

C.S. #76
 Witnesses W.C. Galloway D.C.S.
 J.W. Dodge
 T. A. Logsdan
 Oct. 1910.

S.W. corner of T.M. Reed D.L.C. 61 T. 11-5
 Set a Stone for corner. Set by proportion, fence lines etc.
 A pipe on west claim line North 7.76 chs. From this Pipe -
 A 3/4" under stone on S. claim line S 89° 51' E. 10.978 chs. & Pear tree 12" S. 82° 20' W. 4.62 chs.

C.S. #138
 F. Marion Wilkes D.C.S.
 Sept. 1913.
 J. Roy Rickard

N.W. corner of Mark Cahoon D.L.C. 58 T 10-4
 Set 4"x4"x30" heart oak stake mkd. C.S.
 Oak 24" in dia. bears S. 83° E. 945 chs. & of B.T. for line Orig. tree
 " 14" " " " N 74 1/2° W. 1.21 " " " " " " " "

Resurvey Road 166
 W.C. Galloway C.S.
 June 1916
 John Cheesman
 Archie Parlin.

The Most South corner of John T. Fortson D.L.C. 57 T 14-6
 Stone 18"x10"x12"
 Oak 15" in dia. bears N. 55° W. .33 chs. std.
 " 18" " " " S. 33° E 1.95 " "
 (3.53 to cen. of tree taken and set 1 1/2" pipe N. 50° E. 3.03 of road
 " 4"x12" iron S. 50° W. 3.04
 Fir 3" S. 52° 30' W. .373 not mkd
 Oak 12" N 55° 20' W. 1.096 " "

C.S. #149
 J.A. Ganong
 Apr. 23, 1912
 Bristol?

N.W. corner of H. C. Buckingham D.L.C. 53 T 14-6.
 Set a Stone 18"x18"x 24" Orig. stone, S.W. cor. of Orrin Bellknap Cl. referenced with pipe and iron
 Oak 24" in dia. bears N. 18° E. 1.58 chs. std. S.W. stump (see next page for cor. 12.54 E. 3.76)
 " 24" " " " S. 85° 10' E. .650 " Oak out for road

S.E. of J.W. Starr D.L.C. 54 T. 14-6
 Orig. stone 6"x6"x24"
 Oak 17" in dia. bears S. 17° W. 2.143 chs.
 " 34" " " " S. 60 3/4° W. 3.512 "

N.E. corner of J. W. Starr D.L.C. 54 T. 14-6
 Set 5"x5"x36" oak stake Both stumps std.
 Oak 20" in dia. bears N. 58° 40' E. .486 chs.
 Fir 30" " " " S. 38° 25' E. .408 "

Most E. N.E. cor. of Geo. Smith D.L.C. 63 T. 14-6
 Stone 26"x17"x14"
 Ash 12" in dia. bears N. 26° 25' E. .490 chs.

Interior Corner of Geo. Smith D.L.C. 63 T 14-6
 Stone 16"x8"x8"
 Fir 24" in dia. bears N. 3° 05' E. .550 chs.
 " 24" " " " S. 75° 45' E. .784 "



by

line 337

one.

S. E. of J. W. Starr DLC 54, Twp. 14-6

2458

Reestablishment by W. C. Galloway

April 23, 1912

Original stone 6" x 6" x 24"

Oak 17" in diam bears S 17° W

2.143 chains

Oak 34" in diam bears S $64\frac{3}{4}$ ° W

3.512 chains

Witness Bristow