

148140700

DATE 10/26/2020TOWNSHIP 14 SOUTH, RANGE 8 WEST, WILLAMETTE MERIDIAN; SECTION 6 CORNER NORTH 1/4
DONATION LAND CLAIM N/A CORNER N/A**COMMON CORNER(S):**

POINT ON SOUTH LINE OF SECTION 31, TOWNSHIP 13 SOUTH, RANGE 8 WEST

RECORDS (INFORMATION IN *BOLD ITALICS* IS COUNTY STAFFS' INTERPRETATION OF THE RECORD)

BASED ON EXTENSIVE RESEARCH AND RECOVERY OF EVIDENCE, THIS OFFICE HAS DETERMINED THAT MOST GENERAL LAND OFFICE SURVEYORS IN BENTON COUNTY BEFORE 1890 MEASURED TO THE FACE OF BEARING TREES.

- [01] GENERAL LAND OFFICE (GLO) NOTES BY DENNIS HATHORN, D.S., DATED SEPTEMBER 10, 1856. *SET STANDARD 1/4 SECTION CORNER POST FROM WHICH A MAPLE 24" DIA BEARS S35°E, 93 LINKS (61.38 FEET); MAPLE 40" DIA BEARS S2°W, 97 LINKS (64.02 FEET).*
- [02] BENTON COUNTY SURVEY NO. 6433 BY GARY T. JOHNSTON, P.E., DATED MAY, 1977. *SET 5/8" X 30" REBAR. TWIN MAPLE 20" DIA BEARS S50°E, 35.6 FEET, MARKED "1/4S6BT"; ALDER 8" DIA BEARS S8°W, 75.9 FEET, MARKED "1/4S6BT". JOHNSTON PROPORTIONED THIS POSITION BETWEEN THE STANDARD SECTION CORNER TO THE WEST AND THE CLOSING SECTION CORNER TO THE EAST INSTEAD OF TO THE STANDARD SECTION CORNER TO THE EAST.*
- [03] BENTON COUNTY CORNER RESTORATION NO. 2666. *TRANSCRIBED FROM RECORD [02] AND MAY CONTAIN ERRORS AND/OR OMISSIONS.*
- [04] LINCOLN COUNTY SURVEY NO. 9577 BY MICHAEL D. LEMKE, P.L.S., DATED MAY 20, 1981. *THE 1/4 SECTION CORNER WAS NOT SURVEYED, BUT A POSITION WAS CALCULATED FROM THE RECORD SURVEY INFORMATION FROM BENTON COUNTY SURVEY NO. 6433 AS BEING THE APPROXIMATE CALCULATED POSITION AT 1/2 THE DISTANCE AND ON LINE BETWEEN SECTION CORNERS.*

FIRM/AGENCY: BENTON COUNTY SURVEYOR'S OFFICE
ADDRESS: 360 S.W. AVERY AVE., CORVALLIS, OR 97333; PH. 541-766-6821
RESEARCH BY: DAVID L. MALONE, P.L.S.
DATA ENTRY BY: SAME

BENTON COUNTY SURVEYORS OFFICE - CORNER RESTORATION


2666

T. 14 S, R. 8 W, W. B. & M., BENTON COUNTY, OREGON

REPORTED BY Gary T Johnston
 TITLE Engineer 8633
 DATE May 1977

SECTION 6

The information shown hereon was taken from
 the referenced county survey. Date: 7/30/90



● OFFICIAL CORNER FOUND

○ CORNER SET

N/4 CORNER COMMON TO SEC. 31 & 6
 IS 5/8" x 30" Rebar
 DESCRIBE

ADDITIONAL INFORMATION

See C.S. # 6433

OVER

LEGIBLE MARKS ON BEARING OBJECTS

KIND	<u>Twin Maple</u>	<u>Alder</u>	
SIZE	<u>20"</u>	<u>8"</u>	
BEARING	<u>S50°E</u>	<u>S08°W</u>	
DISTANCE	<u>35.6</u>	<u>75.9</u>	
BT TAG POSTED			