

148840050

DATE 01/06/2021TOWNSHIP 14 SOUTH, RANGE 8 WEST, WILLAMETTE MERIDIAN; SECTION 3 CORNER N/A
DONATION LAND CLAIM EMERSON REDNOR NO. 40 CORNER INTERIOR-NORTHWESTCOMMON CORNER(S):

NONE

RECORDS (INFORMATION IN ***BOLD ITALICS*** IS COUNTY STAFFS' INTERPRETATION OF THE RECORD)

BASED ON EXTENSIVE RESEARCH AND RECOVERY OF EVIDENCE, THIS OFFICE HAS DETERMINED THAT MOST GENERAL LAND OFFICE SURVEYORS IN BENTON COUNTY BEFORE 1890 MEASURED TO THE FACE OF BEARING TREES.

- [01] GENERAL LAND OFFICE (GLO) NOTES OF THE EMERSON REDNOR DONATION LAND CLAIM (DLC) NO. 40 BY DENNIS HATHORN, D.S., DATED JULY 7, 1856. ***SET POST FROM WHICH AN OAK 18" DIA BEARS N27°W, 188 LINKS (124.08 FEET).***
- [02] BENTON COUNTY SURVEY NO. 542 (OLD NO. 248) FIELD NOTES (FIELD BOOK 20, PAGE 67) BY W. C. GALLOWAY, C.S., DATED FEBRUARY 22, 1916. ***SET GUN BARREL. OAK 18" DIA (GLO BT) BEARS N27°W, 1.88 CHAINS (124.08 FEET), STANDING.***
- [03] BENTON COUNTY CORNER RESTORATION BOOK NO. 1, PAGE 102, BY W. C. GALLOWAY, C.S., DATED FEBRUARY 22, 1916. ***SET A 12 GAUGE DOUBLE BARREL SHOTGUN BARREL. OAK 18" DIA (GLO BT) BEARS N27°W, 1.88 CHAINS (124.08 FEET), STANDING.***
- [04] BENTON COUNTY CORNER RESTORATION NO. 2806. ***TRANSCRIBED FROM RECORD [03] AND MAY CONTAIN ERRORS AND/OR OMISSIONS.***
- [05] BENTON COUNTY SURVEY NO. 542 (OLD NO. 248) BY UNKNOWN DRAFTSMAN, NO DATE GIVEN. ***GUN BARREL. OAK 18" DIA (GLO BT) BEARS N27°W, 1.88 CHAINS (124.08 FEET), STANDING.***
- [06] BENTON COUNTY SURVEY NO. 544 (OLD NO. 248) FIELD NOTES (FIELD BOOK 20, PAGE 75) BY W. C. GALLOWAY, C.S., DATED FEBRUARY 28, 1916. ***CORNER NOT DESCRIBED.***
- [07] BENTON COUNTY MAP NO. 14-8-00002 BY W. C. GALLOWAY, C.S., DATED APRIL 17, 1916. ***GUN BARREL. OAK 18" DIA (GLO BT) BEARS N27°W, 1.88 CHAINS (124.08 FEET), STANDING.***

FIRM/AGENCY: BENTON COUNTY SURVEYOR'S OFFICE
ADDRESS: 360 S.W. AVERY AVE., CORVALLIS, OR 97333; PH. 541-766-6821
RESEARCH BY: DAVID L. MALONE, P.L.S.
DATA ENTRY BY: SAME

BENTON COUNTY CORNER RESTORATION BOOK NO. 1

C.S. #247

 $\frac{1}{4}$ sec. cor. between secs. 28 & 33 T. 10S. R. 7W.

Set Qt. bottle Snag N. 48° E. 77 std. snag S. 18° E. .67 std.

Fir 34" in dia. bears S. 16° E. .540 chs.

" 5" " " " S. 86° 30' W. .231 "

Witnesses James Stenback, Hiram Parker, Henry Oloman & A.B. Weatherford Dec. 18, 1915.

"

Corner to secs 27, 28, 33 & 34 T. 10S R 7W. ^{found a stone not in place with} _{marks on}Set $\frac{3}{4}$ " x 30" iron rod set corner with fences. orig. notes do not fit trees

Burnt fir 36" in dia. bears S. 83° E. 2.913 chs. to face.

orig. " " 40" " " " N. 14° 30' W. 1.25 " " "

" " " 48" " " " N. 15° E. .55 " " "

Stone 6" x 6" x 5" south 20 feet

Fir 36" in dia. bears S. 77° 25' W. 2.517 "

Witnesses as above also John Botzger Dec. 18 1915.

Continuation SS #247
W.C. Gallaway CS.

Corner to secs. 25, 26, 35 & 36 T. 11S. R. 5W.

Set Qt bottle 10" under surface

Measured to face Ash 18" in dia. bears N. 10° E. 10.16 chs. std. remkd.

Branch of original " 18" " " " S. 22° W. 5.86 " to new face "

" 8" " " " N. 51° 10' W. 2.614 " to face at bottom ^{new 2 1/2} _{in dia.}

Witness M.W. Rosecrans

Jan. 6, 1916.

Corner to secs. 26, 27, 34 & 35 T. 11S. R. 5W.

Set Qt. bottle 10" under surface. set from ash stump

Prune tree 7" in dia. bears N. 10° 30' W. .311 chs. mkt. 1

" " 7" " " " N. 88° 50' E. .256 " " 1

" " 7" " " " S. 7° 10' W. .305 " " 1

Fir 18" " " " " S. 69° 30' W. 4.813 "

Comb on N. school bldg. bears S. 18° 30' W. Top of Court House S. 28° 50' E.

Witness M.W. Rosecrans. Jan. 7, 1916.

Cont. C.S. 181

 $\frac{1}{4}$ sec. cor. between secs. 1 & 12 T. 15S. R. 6W.

Set 1" x 24" iron rod 2 stumps std. orig. trees.

Fir 8" in dia. bears S. 33° W. .224 chs.

W. " 10" " " " N. 61° W. .057 "

Witnesses L.A. Houck, Robert & A.R. Kyle Jan. 12, 1916.

C.S. # 248
W.C. Gallaway CS.

Most west N.W. cor. of E. Redmour Cl. # 40 T. 14S. R. 8W.

Set a wagon thimble orig. cor. N.W. tree down.

Mkt. Fir 8" in dia. bears S. 53° 30' E. .288 chs.

" 30" " " " S. 28° W. .55 " std.

Witnesses Carl Ogolsby & Edward Taylor March 2, 1916.

Interior corner of E. Redmour Cl. # 40 T. 14S. R. 8W.

Set a 12 gauge double bbl. shotgun bbl.

Oak 18" in dia. bears N. 27° W. 1.88 chs. std.

Witnesses Edd Taylor, D. D. Loughbottom & C.S. Seely

Feb. 22, 1916.

Interior corner of E. Redmour Cl 40, Twp. 14 S., R. 8 W.

3501

Reestablishment by W. C. Galloway

February 22, 1916

Set a 12 gauge double barrel shotgun barrel
Oak 18" in diam bears N 27° W

1.88 chains (standing)

Witnesses Edd Taylor, D. D. Longbottom, C. S. Seely