

N. PRICE / O. DAUEISBERG 1940

44

40

Dependent Resurvey of the E. hdy. of T. 15 S., R. 8 W.

Chains.

37.20 Head of a ravine, course E.; asc. 43 ft. over SE. slope.

39.41 Point for $\frac{1}{2}$ sec. cor. of sec. 13 only, determined by reference to the record distances to two original bearing trees.

At point for corner, set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{2}$ sec. cor. of sec. 13 only, with brass cap mkd. S 13.

1940

from which

A fir, 46 ins. diam., bears N. 62° E., 35 lks. dist., mkd. $\frac{1}{2}$ S B.T. Destroy all marks on this tree. (Old B.T.)

A fir, 34 ins. diam., bears S. 31° W., 30 lks. dist., blaze healed. (Old B.T.)

A fir, 48 ins. diam., bears S. 73° E., 46 lks. dist., mkd. $\frac{1}{2}$ S 13 B.T. (New B.T.)

Thence

N. 1° 14' E., with new measurement.

Asc. 56 ft. over SE. slope.

1.20 A spur, slopes E.; desc. 143 ft. over NE. slope.

8.80 A ravine, course E.; asc. 334 ft. over SE. slope.

19.30 A spur, slopes SE.; desc. 93 ft. over rolling broken E. slope.

31.75 Mid-point on the W. hdy. of sec. 18, T. 15 S., R. 7 W.

Set an iron post, 3 ft. long, 1 in. diam., 28 ins. in the ground, for $\frac{1}{2}$ sec. cor. of sec. 18 only, with brass cap mkd. S 18.

1940

from which

A fir, 48 ins. diam., bears N. 39° E., 91 lks. dist., mkd. $\frac{1}{2}$ S 18 B.T.

A fir, 6 ins. diam., bears S. 19° E., 32 lks. dist., mkd. $\frac{1}{2}$ S 18 B.T.

32.00 Head of a ravine, course E.; asc. 275 ft. over SW. slope.

40.02 The cor. of secs. 12 and 13 only, which is a badly decayed fir stake, showing partial scribe mark.

At point for corner,

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with the original stake deposited at the

158700500

N. PRICE/O. DALE ISBERG 1940

41

Dependent Resurvey of the E. Bdy. of T. 15 S., R. 8 W.

Chains.

base, for cor. of secs. 12 and 13 only, with brass cap mkd.

T15S	T15S
S12	R7W
S13	S18
R8W	
1940	

from which

A fir, 40 ins. diam., bears N. 43° E., 71 lks. dist., mkd. T 15 S R 7 W S 7 B T. I destroy all marks on this tree. (Old B.T.)

A fir, 30 ins. diam., bears S. 67° E., 78 lks. dist., mkd. T 15 S R 7 W S 18 B T. I destroy all marks on this tree. (Old B.T.)

A fir, 48 ins. diam., bears S. 51° W., 31 lks. dist., blaze healed. (Old B.T.)

A fir, 36 ins. diam., bears N. 53 1/2° W., 72 lks. dist., blaze healed. (Old B.T.)

Land, mountainous.
Soil, sandy and rocky loam, 3rd rate.
Timber, fir, hemlock, cedar, maple, alder, and yew.
Undergrowth, vinemaple, salmonberry, salal, huckleberry, and hazel.

N. 0° 21' E., along the E. bdy. of sec. 12.

Asc. 143 ft. over SW. slope, through heavy timber and dense undergrowth.

5.00 A spur, slopes SE.; desc. 38 ft. over NE. slope.

9.00 Head of a ravine, course E.; asc. 480 ft. over SE. slope, changing to SW. slope.

32.50 The closing cor. of secs. 7 and 18, which is a badly decayed fir post, mkd. C C and other partial scribe marks.

At point for corner,

Set an iron post, 3 ft. long, 2 ins. diam., 28 ins. in the ground, with the original post deposited at the base, for closing cor. of secs. 7 and 18, with brass cap mkd.

T15S	T15S	Reported 6.22.21 by initially marked Nos. 1753 1754 1755 1756 1757 1758 1759 1760 1761 1762 1763
R8W	CC	
S12	R7W	
1940		

from which

A fir, 24 ins. diam., bears N. 35 1/2° E., 40 lks. dist., blaze healed. (Old B.T.)

A fir, 48 ins. diam., bears S. 61° E., 42 lks. dist., blaze healed. (Old B.T.)

Asc. 107 ft. over SW. slope.

36.20 A spring, 50 lks. W. of line, drains SW.

41.37 Point for 1/4 sec. cor. of sec. 12 only, determined by reference to the record distances from two original