County Surveyor's Record, Benton County, Oregon.

SURVEY No. 11 #743 MADE FOR Verol Mulkey + Serene Fleener.

Surveyed July 24 & 25 1908

Beginning at the 1/4 corner bet Sections 35 & 36 Tp 11-7. which I reestablished by driving a 1/2" iron galv. pipe 24" long from which
a Maple 12" in diameter bears N 45-45 E .789'
a Fir 6" " " " N 65-40 W .348'
I ran thence West
21.36 and struck .46' South. making line N 89-40 W. and giving the 16th section a proportion of 20.34.
Returned to 1/4 cor and ran thence North
40.64 Striking the Sec. cor to secs 26, 27, 35 & 36 (25 26) giving a proportion of 19.22 South for the M.S. Cullough S.E. cor and making the 40. acres 21.94
I returned to point 20.34 and paralled line 7 chains and at
21.13 intersected line of McCullough D.L.S. 29' Easterly from S.W. corner thence N 89-19 E 20.349' to S.E. cor of D.L.S.

I set a 2" bolt for the S.W. corner of 40 A. from which a
a Maple 11" bears N 34-05 E. .21'
" Fir 12" bears N 73-30 W. .057'
For the point on the S. line of McCullough Claim I set oak stake 4 x 4 x 30" long marked C.S. No 11 from which
a Fir 12" bears ~~N 51-30 E~~ S 79° E .332' .745'
" " 6" 10" ~~S 64° W~~ S-31 W .362' .400'

For the S.E. Corner of the McCullough D.L.C., set a post I which was agreed to by Paul Thiet + Mrs. Fleener as the corn from which.
a Fir 12" bears N 51-30 E .332'
an oak 6" " S 64- W .362

Returning to the 1/4 corner above mentioned I ran thence East by Sun
20.00 Set stake on East bank Marys River.

Chainmen { Toni Mulkey, Nicolas Mulkey. axe. { Ed. Woolman, Verol Mulkey.

Magnetic Variation 20°-41.' East

Recorded Jan. 21, 1909
F. Marion Williams
County Surveyor

69 #73 Ore To 11 S R 7 W. Surv. No 11

#73

Beg at ¼ Sec 35 + 36
thence S 89-55 W
ZR 30' = equivalent
stake 4 30' = to parallel line
Court line 80 chs. stake & pos
S 24-30' E (S 65°)
5.60 South. + 3.5 W. at
S 24-30' E.
Witnesses to corner & Nick Mulkey
corner 2.38 + 15' = 2.53 - 180 4.79
marking line 81.36 long. + 5.27 South
Correction in 3°-40' to N from
3°- -40' N of line as run.
Re-establ ¼ cor Sec 35 & 36
set 3/4" x 24" sec galv pipe
of Bay tree dia 10" bears
Mkd. Mapo 12 N 75-45 E .78.9
Rust 6" Fir N 65-40 W .74.8
Run thence N set Sec 35 + 36
40.69 cor. stake .597 East
corrected to be reported W.-52' = N 52' E 40.6
{Sight mark for Sec 21.46 + [illegible]}

Below through 35- Length post as 20.34 +
be set N 1.26 at 10 chains set the N .015
N 89°-30' W.

#73 E Mulkey & Mrs Flaney
Bladgett.

Dec Apr 5 o'clock.

[illegible]

70 Wm. McCullough Cl. #2 T. 11-7 Surv. No. 11

Set 5/8" bolt 24" section for cor of 40
from which a maple 11" N 34°-05 E. 21
for 12" N 73°-30' W. .057

S.W.

Rail N-19' W. 21.13 set.
at S. R.L. 11" + left 11 Spit in E .006
at 21.13 in fence row set 4"x4" stake
for 12" pos. S 74° W. E.
for 10" " S 00-30' W. .745
fence cor of DLC is W. 2.71 .40
set DLC. S.E. cor at 21.46 + W. N likes
on S.E. of Cl. #42 from which for
12" bns N 51-30' E .332
6" bns S 64°— W .362
Witnesses to corners set were
Tom + E. Mulkey, Nicolas Mulkey. old
Woodmence.
Beg at ¼ on let 35-36 run E by
and 20 chs + cor. 40 was in water
on E. edge of creek. + line was O.K.
Time for Fluiness. 2 days.
" " Mulkey. 3 days.
Expenses 1.20 Mulkey 3 + 71.90

Decs for "July 25. 1908
19-42-2.6
2-15.2
VIII 19-39-47.4 + 58.8 = 19-40-46.2
IX 19-39-15.2 + 40.8 = 19-39-56.0
X 19-38-43.0 + 32.4 = 19-39-15.4
Co Lat 45°-25'-46"

Link up C. A. - Shipley.

Butts Auto -
The Nustadt Auto + Supply Co
3961. Olive St.
St Louis.

Got notice to Mr Coates at Wm