

CS 10167

FILING DATE 12-26-2006

| | |
|----------------------|-------------------------------|
| FOR: | BENTON COUNTY |
| NOTES: | FIELD BOOK 14, PAGE 35 |
| | OLD CS 168 |
| | OLD ROAD 306 |
| SURVEYOR: | W.C. GALLOWAY |
| DATE STARTED: | JANUARY 28, 1913 |
| LOCATION: | T10S, R6W, SECTION 21 |
| | CO. RD. 06054 |

Book #14

MINING
TRANSIT BOOK
363

14

35 05 10167

Survey # 16.8 For Trip # 306
Beginning at the S.E. corner of
L. C. Norton Ch. 43 Tr. 10-6.
Post Set a 1" galv. pipe one mile
Ash 14° N. 20° 10' E. 1.503 chs.
" 14° N. 23° 50' W. 3.315 "

W. on S. line
N. 86° 45' W.
Correction S. B.

.029M. 1. Left 18' -55' 6.984 0.345
7.2 FT 8.000 N. 0.023
.023M. 2. 462 0.06
.05M. 3. 20.232 47.15
0.47M. 4. 10.374 0.149
+ .099 15.174
N. 0.047

Set 1" galv. pipe

L. Right 6'

.008M. 5. 10.30 6.661 0.021 N.
.009M. 6. 448
.006M. 7. 16.90 3.450
.0025. 8. 10.588

.025M. 9. Striking No. foot. 2.940
Set 1 1/2" galv. pipe 2.884 chs. 0.025
0.44 30° S. 50° W. 6.572 2.432 chs. 0.025
Fig. 6" N. 57° 54' W. 3.390 chs.
Continued in FB 15 p. 22

Jan. 28, 1913.

J. H. Siddall

L. H. " "

F. E. Woodside

6.848 2.973 15.31
4.885 1.922 5.71
3.241 1.445 15.31
1.286 6.22 10.71
2.59 6.22 4.76
0.339 7.0 0.41 2.9 0.25 7.8

0.04 2.9 0.25 7.8
14.63 11.990
46.174
15.250
46.094
46.173
15.250
3 1.173
14.844

104.011
7.432
111.410
105.863
27.000
7.165
41.751
41.744

116.752
0.880
1.457
578.360

389
272.78
19.77
282.55

6.983
8.425
20.130
10.374
46.894
15.310
5.302
10.568
24.000
7.165
106.452