

Book #16

MEXICAN  
JOURNAL BOOK  
1863

10

11152

14-5

17 Road # 332 1/2  
Beginning at N.W. cor. of  
Henry Noble D.K.C. & 52  
Tp 14-5 Stone

Misc. N. 89° 30' E  
connection S. 116

- 1 26.3 16.00 + 4.5
- 2 34.1 40.00
- 3 24.5 8.000
- 4 1.40 6.174
- 5 0.0 6.548
- 6 12.691
- 7 6.912
- 8 7.012
- 9 5.625
- 10 -2.29
- 11 4.00
- 12 3.418
- 13 3.081 - 5.00
- 14 12.272
- 15 - .409
- 16 5.037
- 17 12.992

4 cor. of set P. W. Sharo  
2° E. 40 cts.  
11 C. N. 72° W. 17 1/2

Staking N. of set. 400

7 S. 31° W.  
connection 26'

8 S. 89° 53' E  
connection N. 73°  
set Stone 8' x 12' x 28"

Granite Stone 8' x 8' x 10" N. 70'  
set S. 114

9 S. 89° 53' E  
connection 514

O.M. Lenthin

11152

Feb. 17, 1914.  
S. W. Boh

- 1 10.1 39.997
- 2 10.4 7.990
- 3 6.174 6.174
- 4 5.445 6.918
- 5 6.870 6.070
- 6 12.091 12.091
- 7 6.912 6.912
- 8 0.12 0.12
- 9 8.038 8.038
- 10 5.652 5.652
- 11 8.605 8.605
- 12 2.81 2.81
- 13 85.756 85.756
- 14 80.750 80.750
- 15 5.366 5.366
- 16 5.89° 53' E  
22818' N  
45.993
- 17 5.89° 53' E  
22818' N  
45.993
- 18 12.272 12.272
- 19 12.992 12.992
- 20 12.409 12.409
- 21 12.147 12.147
- 22 728.82 728.82
- 23 725.32 725.32
- 24 80.170 80.170

1 2.01 4.67  
4.30 4.44  
2.15 1.16

6.174 80.750  
6.748 56.600  
6.748 28.183  
6.748 4.440  
6.748 1.160

6.748 376  
6.748 406  
6.748 371  
6.748 288

5.89° 53' E  
5.89° 53' E  
3.01

3.418 3.418  
3.418 3.418  
3.418 3.418  
3.418 3.418

12.272 12.272  
12.272 12.272  
12.272 12.272  
12.272 12.272  
12.272 12.272

11152

10 + 1' 18,621 - 4.00  
 11 - 5' 14,952 + 4.10  
 + 4.5' 11,700 + 4.20  
 N.B. bears N. 50° 30' E.  
 - 3.0' 10,134 + 4.77  
 Set pipe S.  
 Oak 12" S. 51° 20' E. 270 cks.  
 Fire pipe, W. side of road is - 620  
 10 40 - 5858  
 14 post 2,194  
 9/10 Striking N. 25° 20' E. 356  
 16/19 Set 2" galv. pipe - 267  
 Set 3/4" galv. pipe  
 4/10/20 Oak 36" N. 51° 45' E. 4887 cks.  
 Oak 9" S. 0° 50' W. 1777 al.  
 " 16" S. 45° N. 2074 "  
 " 15" N. 88° 40' W. 1660 "

11152

offset  
 10374  
 10524  
 78857  
 10977  
 79807  
 141430  
 39807  
 675730  
 11957  
 79957  
 8049  
 71808  
 7771  
 79579  
 72220  
 71959  
 0000 = 10'  
 31836  
 31836  
 6400  
 517

2194  
 267  
 1927  
 5855  
 7782  
 771  
 7011  
 10.04  
 7.882  
 17.916  
 79.570  
 17.915  
 61.674  
 8.608  
 80ft 12" S. 51° 20' E. 270 cks.

53042  
 21072  
 214352  
 2314532  
 270  
 547  
 242  
 3330.15  
 3330.16  
 14163  
 311663  
 40 E. of line  
 40 N. 0° 32' W.