

Book #16

MEXICO
JOURNAL BOOK
1863

50

11157

29 Road # 339

Tr. 10 S. R. 4 W.

Beg. at 1/4 sec. cor. Buggy hub
27/126 S. 89° 57' E.
correction N 1/2

- 1 7° 25' 250.4
- 2 3° 55' 787.5
- 3 4° 35' 8,120
- 4 5° 3712
- 5 2° 45' 2496
- 6 2° 5071
- 7 2° 20' 8,000
- 8 4° 45' 2,350
- 9 4° 30' 3

Set 1/4" gal. pipe

Set cor North .031

Fl 22" S. 26° 45' W. 504 cks.

" 34" N. 30° 50' W. 469

L.R. N. 4245 8,000

7 4° 20' 6,302 .046 S.

8 0' 942

9 -5° 26' 7961

10 -3° 15' 8,000

11 To bolt 1/2 cor. 26125

correction 50-140. 4291

2 left 1043, 230. 8,000

(S 89° 47' E) -1° 45' 8,000

12 -127° 40' 1,518

13 -6° 37' 6,015

.030 N

11157

Clarence Collins R. #4

March 23, 1914

- 2.483
- 7.857
- 1.974
- 3.758
- 2.493
- 5.068
- 7.993
- 2.342
- 39.968
- 7.991
- 6.284
- 7.942
- 7.925
- 7.987
- 8.653
- 7.750

39.968
503
40.271

16641
646
99894
2636
106502

320 +5.50 14.270
540 +30 0.28

42825
285
045680
91308
10443
10274
10616026=31

180 - 6' dir. 4982
5582
51750
5.987
8556
3585
99935
12872
1119
0318413

22.20
91308
10443
10274
10616026=31
91308
10443
10274
10616026=31
1634
12205
10578
19.88
00288=10
12220
15332
12880

2482

7.285

7.996

1.518

5.987

19.991

00288=10

12220

15332

12880

11157

Striking N. 81° - true cor. 220 3/4 mile
S. 24° E. - 1° 37' true cor. 65,835
From ridge to Stone

41° 35' true
+ 49' = 8,000

90°
10,687 - 200

set gun barrel
Oak 34° S. 70° W. 206 chs.

7,000

11157

13 A
+ 100
+ 969
+ 2226
- 51
- 53
- 181

+ 199 - 95
+ 800 - (39' + 8')
975 - 308
570 - 51 about 10' higher than end.

1199 - 792

1200 - 447

688 - 3043

235 - 2028

958 - 1030

50 better hill

665 - 1046

290 better hill

1298 - 1046

1210 better hill

1004 - 2530

610 - 2530

795 - 2530

800 - 3

1065 - 1105' Δ (44' + 300')

315 + 2.5' stone

2827
1132
205
2-968
2-1072
3-1256

45835
7999
10,687
84,515
200
84,315

590 d. 100 3/4 mile
+ 100
+ 969
+ 2226
- 51
- 53
- 181

Benton County Surveyor's Office

C.S. FILE NO 11157
 FILING DATE 2-6-24
 FILE SIZE 8 1/2 x 11

U-4
 23, 24, 25 & 26
 35-36 10-4-00016

COUNTY SURVEYS 283 & 163

Secs 23, 24, 25 & 26 T. 10S R. 4W. W.M.

Scale 1" = 10 chs.

