

C.S. # 1255

Hardcopy 14-4#2

also see notes in file

F. B. ~~80~~-9

9

C.S. 222

Sec. 31 T. 14-4

Beginning at a stone S.W. cor. of

Sec. 31 T. 14-4

Backsighted To $\frac{3}{8}$ " pipe as N0°16'W.

1255

N 89° 56' E

4.324

set a Middle T Ford axle

Back to ΔD

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10

N. 0° 16' W.

5.985

5.997

$\frac{3}{8}$ " pipe

5.234

5.242

$\frac{3}{8}$ " pipe

3.127

$\frac{3}{8}$ " pipe

S 37° 53' E

5.154

S 26° 58' E

6.998

S 2° 04' E

6.944

S. 84° 07' E

5.585

S 26° 26' E

2.334

50.40 x 50
-1.50 E. 47+
30 water
at A. 80
52 x 70
4.40 - 23 N
North 120
-1.80 1.20

E. 20 x 40 water
50 water 120 wide
180 wide
40 - 64 .89 x 10
-620 - 30 + .33; -3.90 - 15 water - 2.40 - 15 water
-1.90 - 25; -1.80 N. 80 water
-60 E. at lets. -1.80 - 75
East 1.19; S. 38 1/2° E. 75; S 1° N. 1.83

10

Sec. 36
T. 14-5

$\frac{3}{8}$ " pipe
 $\frac{3}{8}$ " pipe
 $\frac{3}{8}$ " pipe
3.401
A. 871

Sec. 31

For E. K. Sahlman
Ferd Anderson
Eugene R. #2

N 89° 56' W
 $\frac{3}{4}$ bolt 20.051

Stone 40.967
Maple 30 N 17° E. 23 Std
" 5 540° E. 53+ "
Ash 24 S 60° W. 17 "
" 20 N 50° W. 20 "

23.225

S. 89° 56' W.

5" pipe
N. 0° 20' 54" W. 683
" 40 N 13 1/2° W. 513

5.985
5.997
11.982
5.234
5.242
22.458
3.127
25.585

26.320
25.585
715

11

Back to Δ 8

11

S. $24^{\circ}53'$ E.

4.610 + 1.66 + 2.18

12

S. $44^{\circ}31'$ W.

5.836

S. $89^{\circ}56'$ W. To corner

12

