

C.S. # 1615

Hardcopy 10-7#11

also see notes in file

F.B. 46-77



79

11		+ 6°	1.663	.277 W
12		+ 1° 20'	6.870	offset 3112
13	L.L. 8'	- 5° 30'	7.655	.018 W
14		+ 3°	2.730	34430
15		- 1° 30'	2.451	offset 3564
	L.L. 2° 38' -	- 16° 30'	3.077	.400 W
16		- 3° 35'	5.796	
	To concrete post the 14 sec. Cor.			
	S. 86° 15' W. & fir.			
c	S. 41° 11' E & cedar			
	N. 88° 57' E to Δ 7 about			
	N. 87° 32 1/2' W. to Δ 11 corrects N. 2° 24 1/2'			
	2° 24 1/2'			
	N. 89° 56 2/3' W.			

.99452	+ 78	.7954	.95882	80
1663		7655	3077	
298356		49770	671174	49.571
596712		49770	671174	1.654
99452		59724	267646	6.868
165388676		69678	295028914	7.620
		76197870	99805	2.726
		22860	5796	2.450
		22860	598830	8.725
		15290	898245	79.614
		.01975460	494635	
			499025	
			578469780	79.615
			295028914	39.576
			8.73496694	40.039
			.04594	
			34940	
			78615	
			43675	
			34940	
			.40128590	