

C.S. # 1733

See notes in file

F.B. 108-1

Book 108

WILEY
FIELD
PISCINE

11-6

County Survey
339

Beginning at 3/4" pipe
1 2/3 T 115 R 6 W

Backsight at sta. 9 page 13
book 55 N. 54° 08' W - 16.20 2449

East
Correction 5.57

1	-23°29'	3.364	0.505
2	-1°55'	2.195	0.875
3	-6°56'	5.765	1.795
4	+15°25'	2.900	0.225
5	+11°03'	7.625	0.205
			Parallel with transit -1.275
			Set 3/4" galv. pipe 5.305
			in notch in 20" log, head of drain
			Maple 8" N. 22° W. 542 not marked
6	+5°15'	9.23	0.025
			L.R. 09
7	-8°14'	4.413	115
8	+23°08'	1.950	4395
9	+16°10'	1.228	4595
10	+11°28'	4.738	0.124
			+26°27'
			+25°10'
11		3.324	0.205
			0.135
12		2.176	0.135

Oct. 12, 1945

For Ben Ellis

by W.C. Galloway C.S.
W.M. Patterson chm.
with 57 BT

3085
2.194
5.724
2.796
7.484
24.283
21.919
4.368
1.793
1.179
4.643
2.976
1.969
39.1307

21.283
20.0075

(5.88° 54' E. 1/4") 13525
1272 oak 16 W 71° W. 46
" 8 5 41° W. 31
" 8 4 83 E .50

Nail in log, notch on line

Nail in stump

at road 5.819

7.138 - 5.767

-100' C.R. of road with X

Nail in map

0.205

0.205

0.135

0.595

0.1632 = 57

40.015

340

3305

5355

5645

5845

