

C.S. # 2094

Hardcopy 14-5 #23

also see notes in file

F.B. 88-77

Book 88

DEPARTMENT
OF THE ARMY

ENGINEERING

FIELD BOOK

No. 1011

Catholic Church Monroe
Beginning @ 9.43' S. 8° 48' E. of
N.E. of Ch. property and W. of Hwy.
S. 87° 01' W.

2094 1 1/2" pipe N. 8° 48' W. at 109.95
 7/168.53
 1/2" pipe at E. R.W. line and 9.43' N. 8° 48' W.
 Set on E. rail Int. N.E. 92° 50'
 Measured N. 87° 01' E. 27.61 to 1" pipe
 Thence S. 5° 49' E. on E. rail 121.69

Set 1" x 50" iron rod N. 87° 01' E. 27.61
 3/4" rod at S. 8° 48' E. 132'
 from 1" pipe the present N.E. cor. of
 Church property
 (3/4" rod 12.63' W. of S.W. cor. of walk
 and 1" pipe is 11.95

March 12, 1949
 W.C. Galloway
 Sidney S. Lasswell

11.95
 109.95
 121.90

109.95

168.53

4.220 = 278.53

11.95

290.48

28.78

4.837 = 319.26

Should be
 131.12 - 131.48; more .36
 9.43
 121.69

12.65
 11.95
 132.70

.00530 = 184

10.95
 11.00

11.95

10.99

200.96

.00480 = 164

N. 8° 48' W.
 17'

332.165
 .00497 = 17' N. 8° 31' W. for W. edge of side walk