

C.S. # 317

Hardcopy 14-6 #13

also see notes in file

F.B. 13-16



117	135	26		
Thence North			-	5.028
17			-	6.338
18				.114
Thence West			Set long stake	.131
19				5.667
20	L = 40.404			5.764
21	N 304 tan	.00752		6.490
22	Connects S 36'		+ 1-30	5.450
23			+ 6-	5.832
24			+ 2-40	7.961
25			+ 4-10	3.435
Thence S 11'-02" W to Road int.				4.099
Striking cor.				7.006 N. 304
Set 3/4" X 14" rim rod N 11-50 E 380			from Point	
Set 4 X 4 X 30 Oak stake for int. cor.				
Oak 14" S 70° - E				.075
Oak 16" N 60° - W				.103
N.W. cor. Set 4 X 4 X 30 Oak stake				
Oak 30 N 30-55 E				2.151
Oak 10 N 55-35 E				.892

1-30	6-	2-40	4-10	5.028
5.450	5.832	7.961	3.435	6.338
46999	25499	29899	93799	11.366
49050	52468	71649	30915	
49050	52468	71649	30915	
25	2333	634	240	
30	30	72	71	
5.4480	5.7999	7.9527	3.4267	
		.00752		5.667-4
40.404	3.04000		40.416	5.764
	282828		282828	6.490-1
	211720		202020	5.448-8
	4396	97000	11379	5.780-2
	438700	6.157	11.385	7.952-8
99795	399181	257	11.385	3.427-7
	395200		11.385	.006-69
	199381	45106		40.534-9
	959150	3079		1.84
	607950	123		40.404
		.046309	166	
	4.387	4.391	4.396	
	18730	92499		
	1316	39483	26.346	
	3070	3948		
	350	394		
	16585	43836		