

C.S. # 682

Hardcopy 12-6 # 22

also see notes in file

F. B. 27-42

42

CS. 682

F/B 27, PG. 42-43

51.

C.S. #26#682 continued

Beginning at 3/4" pipe in cor. of
Evergreen Road 24.546 N. 10° W.

of S.W. cor. of E. Hartless Cl. 51, T12-6

1	N 0° 10' W. + 12°	2364
2	+ 10° 30'	1380
3	+ 5° 10'	1534 To cor.

Reest.

Set 3/4" pipe

4	Oak 12" S. 39° E.	97 cks.
5	J. Grimsley " 12" S. 30° W.	77 "

West
correction 5.5'

4	+ 30°	4640
5	(S. 89° 55' W.) + 9° 45'	3.215
6	+ 6° 20'	1.590

Set 1/2" pipe South .014

7	+ 9° 35'	4.463
8	∠ Right 9" + 10°	6.755
9	∠ Left 11" + 4° 5'	5.986
10	∠ Left 11" - 1° 15'	7.170

-3350
3.014

Set 1/2" galv pipe

11	∠ Right 8' - 5° 40'	3.471
12	∠ Left 19'	5.279

Jan. 17, 1920.

2.364	1380	3.215		2312
51.879	52382	65589		1.357
21.276	12420	28935		1.528
1654	11041	2492		5.197
189	2	160		
2	13547	16		
23122		1		
		3.1604	20.167	
			9.375	
			29.542	
4463	6755	7164		4634
40689	18489	023	9375	3.160
40167	60795	21504	7797	7.797
3570	5407	1433	1.581	1.581
267	271	2229	37	9.375
44005	66524	3.454	5.279	4.400
	262	332	355	6.652
5971	13304	6908	26395	5.971
594	3971	1036	2439	7.168
23884	133	103	158	33564
5373				3.350
298	.017428	.00804702	9192	30.216
029555			9375	9.375
	.017	.0305	251	33.566
	.007	.023	7375	3.454
	.024	.029	4687	5.279
	.029	.018		42.299
		.1005	.014064	
.017 N.		.029 N.		
.030 S.		.029 N.		
.013 S.		.071 S.		
.023 S.				
.036 S.		.00150 = 5'		
.008 N.	47.87	.07100		42.299
.028 S.		1787		30.215
.029 S.		23130	23925	12.084
.057 S.		23935		
.018 S.				
.075 S.				
.004 N.				
.071 S.				

43

13	Left 13"	+1°30'	4.641	offset 0.018 S.
		+8°30'	.938	
	Striking S. of cor		.004	
	Set by J.A. Ganong.			
	Back to Δ 6			
15	S. 0°10'E	-10°50'	8.000	
16			.123	N. line of Road N71°12'
17			320	1/2" pipe S. of Road
18	S. 74°06' W.		1.490	
19	S. 82°46' W.		.626	
20	N 66°32' W.	-2°	1.684	
21	S. 42°57' W.	-2°30'	2.113	
22	S. 55°31' W.		3.496	
23	S. 65°57' W.		1.927	
24	S. 79°02' W.	-1°35'	2.238	
25	S. 53°45' W.	+1°25'	3.134	
26	S. 63°10' W.	+3°30'	1.347	
27			1.816	
28	N 78°35' W.		3.679	set 1/2" g.p. N. 10° W. 50'
	N 0°10' W.			
29		+12°27'	7.610	
30		+13°45'	5.206	N. 47°20' W. E. Δ 10
31		+17°50'	3.047	Striking E. of Δ 10 335
	Set 1/2" g. pipe		-.024	

4.639	7.610	5.206	3.047	
873	84679	43179	59159	42,299
13917	68490	46854	27423	4639
3247	5327	3644	1523	928
370	454	520	30	47,866
	30	15	27	
	6	2	1	
017534	7.4309	5.1035	2.9004	

47.866	7.857
7375	1014
38.491	7.843
	1.23
	320
	8.286

1.344
1.816
3.160

7.731
5.104
2.900
15.435
1024
15.411

15.636
15.411
427