

C.S. # 691

See notes in file
Linn Co. Survey

F.B. 27-54

Old Book 27

MINING
TRANSIT BOOK
363

[Small white label on spine]

54

#69

C. S. #191 continued

Beginning at Interior
of Wm. Hile D.L.C. 71.7. N-4

Thence N 89° 45' E
correction N 1

1
2
3
4
5
6
7

to accor.
Right 18.16.7
4' S 1.6 by 60 m

7.552

2.257

3.858

7.985

4.152

16.234

2.548

3.139

6.552

6.972 = 50.00

5600 to M.C.

10 South to pipe on sec. line

Beg. at 1/2 pipe on N. of Slough
N. 77° 57' W.

7.110

436

1.825

1.584

4.873

2.792

3.274

2.855

N 4° 11' W.
N 17° 40' W.
N 0° 57' E.
N 32° 37' W.
N 44° 30' W.
N 44° 30' E.
Dolm 20.5 55.45 E. 364

+ 28 to water

Far P.M. Dow March 4, 1920.

to S.S. to make on line
E. 50.000 S. 48.

W E Mc Clellan

3.858
2.771
58.58
3.87
2.31
204.71

7.552
2.257
3.858

800.33
13227.00
41001
57370

13.667
29.361

7.985
4.152
16.234
2.548

30.919
31.344

43.028
6.972
50.000

30.919
31.344
12.367
123.676
92.797
92.797
30.919
92.757

30.919
31.344
12.367
123.676
92.797
92.797
30.919
92.757

30.919
31.344
12.367
123.676
92.797
92.797
30.919
92.757

30.919
31.344
12.367
123.676
92.797
92.797
30.919
92.757

96.91
31.39
6.552

96.91
31.39
6.552

26.28 N. of S. E. cor. of Sec. 29.

S. 7.5 to water

water

2.70

6.1