

C.S. # 839

Hardcopy 10-5 #1

also see notes in file

F. B. 33-6

33

MINING  
TRANSIT BOOK

363

N N

6 CS #134 Continued. Copy

839

Beginning at Tp. cor. 79.5 79.4  
 70.5 70.4

Run N 09° 52' W 160.576

Set up back sights & wiggled in at 80.298

1. From Sec cor. Run  
 South correction E 1' 48.770  
 Striking W of supposed corner 1.259  
 Set stone 8" 10" 14" 12" under surface with  
 brick under stone set at 42.77 and E .259  
 From which SW of chimney N 54° 44' W 1.744 obs  
 App 14" 15" 8" 4" 10" W 5.01 "  
 C&A 40" N 31° 45' W 1.994 "  
 cherry 8" S 64° 55' E  
 Comb of barn N 145° W 60. " ?

2 South R 2.244  
 Striking E of 0 11.46 SE of cl. cor.

3 N 89° 53' W, from 1/4 Sec, cor. R 11  
 correction 5 1/2" (N 89° 54 1/2' W) 13.004  
 -2° 30' 4.170  
 + N. 0.048  
 + N. 0.008  
 S. 0.008

We set 3/4" pipe S 35° 38' E 2.008

5 Ash S 53° W, 0.040 + 1° 6.513 - 0.115  
 6 2.638 - 0.125

Date: Sept. 23, 1922

Party, W.C. Galloway  
 Jos. C. Smith  
 E.E. DeArmond

Twp. line on N. line of Sec. 10, R. 7 T. 10 S  
 2060.576  
 80.298

Twp. corner set Heart Oak  
 State surface IRW - Remark trees

Ash 12" S 60° E 1.33 obs. Std  
 " 13" S 20° W 1.22 " "

Set 8" x 1 1/2" iron surface  
 12"

Set 6" galv pipe on Twp line  
 S 89° 52' E 3.32 obs. fence 3.33

S edge of chimney of C.A. Vass' house  
 N 49° 04' E

N.W. cor of J.K. Johnson's house  
 S 7° 13' W

N of chimney of E.E. DeArmond's house  
 S 72° W

N edge of shed house N 37° 03' W  
 13.084  
 4.166  
 6.512  
 3.638  
 4.057



|    |         |       |  |
|----|---------|-------|--|
| 7  | -2° 15' | 4,060 | 1,2195                                 |
| 8  | +1° 10' | 4,645 | 1,046                                  |
| 9  |         | 9,293 | 0.785<br>19 1/2 ft<br>Road 55.53 W.    |
| 10 |         | 2,994 | 0.714<br>2 ft Hubert W<br>side of road |
| 11 |         | 2,106 | 0.725                                  |
| 12 | -R° 10' | 4,299 | 1,0298                                 |
| 13 |         | 5,835 | 1,288                                  |
| 14 |         | 4,955 | 1,0305                                 |
| 15 |         | 5,040 | 1,0365                                 |
| 16 |         | 9,619 | 1,0368                                 |

Striking N of corner .036

80,239,036  
100095 = 16'  
94  
589055' W

offsets

10.615  
10.965

80,239,036  
100129 = 16'

|                   |
|-------------------|
| 81,457            |
| 4,644             |
| 9,299             |
| 8,994             |
| <del>49,358</del> |
| 2,106             |
| 4,296             |
| 5,835             |
| 4,955             |
| 5,040             |
| 9,619             |
| 80,239            |
| 1005              |
| 80,234            |