

C.S. 1007

SEE NOTES IN FILE

FIELD BOOK 37, PAGE 10

SURVEY LOCATED IN LINCOLN COUNTY

37

PASTS

FIELD BOOK

No. 385

37

Survey for Mrs Noble
1007
Les Moines Iowa

Began at a stake set in former
survey 20. ch. + W. of cor 41/2
T. 17 S. R. 12 W. N.M. 14/13
at 1485

6.135
+40
2.018
A.608
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

In Lincoln Co.
10

Set top
Hatched
5.170E-2-15

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

Survey for Mrs Noble
1007
Les Moines Iowa

Began at a stake set in former
survey 20. ch. + W. of cor 41/2
T. 17 S. R. 12 W. N.M. 14/13
at 1485

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

6.135
2.013
2.659
2.226
3.010

1.258

1.561 1.542

1.730
0.477 0.642

Set on pt .324 N of Sta 1683+50
91°56' L

2.864 2.855

1.814

2.360

Set on Highway line at Sta
94+31

2.677 2.634
1.900 1.900

1.777

6.870

2.555

2°08' L

19°16' L

12°31' L

set. 514 S
1076

.5095
1.956 W,
.1375
.627 W

110 N

.095 N

119 N

= N 21° 31' W
1.489 W
.669 N

516.5 W
741.5
211.5 W

73°46' R

0°14' R

1708
1005
023

6.687
2.495
6.986
0.027

329.1
154.2
6.599
1.319
164.9
32.491
50.98

set. 125 S
077

14.095
1.252
1.456
.637
19.530
20.593
240.125
20,062

Sight N. on Highway line

.324 N of Sta 1683+50 Hwy

116
095
193
404

2.855
1.814
4.669
1.070
6.599

b.M. stake for & see

196+10.2

4.489
2.227
4.711

.603 N of 1696+50

.669 N
742.5
1075.5

Line crosses at Sta 1696+50

Sta 485 N

12 13

97642	.21587
57	347
68349	131109
39056	86348
192726	64761
338177	-7490289
11060	99386

cut ~~207~~ ²⁴⁰ 5' cut 3/4 pipe
at bank of brush

80 W of bank
+ 500 130 W of bank
1000 ft 130 W of bank

4897
5638
10587
215
10042

set fish plate .56 x 14 inches
1" bolt + washer 198E Cor

234
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400

point on E rail of siding
50' from E main track

N 11° E cut 1/4 pipe 4.00 ft

701
0° 14 R

1949 R

E 21 R

60° 03 L

78° 11 L 4325

17064 S

Set on beginning of F.S.
turn into 88° 14 R
Total

17800 ?
West

1752 L down siding

60° 0' 21 L

3.385
1.749

5335
4.816 M

845

1655

2396

5000

15352

4897

5638

10042

8226

3470

4875

+ 2-909 +312N 16.95
Sta 1718+00 1.504

8.826
1.749
4.816

14.391
1.531

14.922
0.55

14.889

0.52
1.20
1.20

11.76
4.081

7.677

Set 1/2" pipe 10.1E on bank crust
at +3.00 on first bank
@ 130 w of bank

2542 - May 1658+50

1709 +07.0
1656 +50.7

2152 56.3
12628.2
1884.1

1212.0
32.1

4.694

4.690
3.373

1.317

at Sta 1656 + 50.7

Pipe 10" N 80' E 0.81

1980G .06221
4703

293

20.00

1.965

2837

9408

2.16

4

4703

184

259R

8837R

7118R

10220R

10220R 8.911

at own POT Hwy E.S. corner
8911R

10720R

N 60' 20" W
960 + 40
1243N
N 0' 54' E

Line crosses