

C.S. # 1215

Hardcopy 12-6 # 33

also see notes in file

F. B. 65-13

15000
E D

6.896 W
13.330 S

74.53 P

S2717W S28°E
130 feet correction = 155'

165
620
2926
130
2796 = 164.54'

5133
2926
2207

14

3.448
3.490
2.202
2.300
1.335
8.187
1.636
1.917
1.643
1.660
1.537
2.582
3.025
4.490
4.065
1.430
3.590
2.158
2.785
2.785
1.565
1.926
1.815
2.482
1.940
4.770

N76°45'W

Correct R045 N103
= N74°0'W

1.654
1.057
1.871
1.381
1.445
1.550
1.628
1.720
1.799
1.825
1.944
1.088
1.304
1.498
1.566
1.738
1.841
1.974
2.106
2.178
2.270
2.357
2.476
2.568

4584
155
8887
15
44435
8887
133805
316
15815

12.567
6.876
19.443

40.20

4.770

58.298

2.229

2.797

2.749
2.595

2.034
2.587

0.141
0.919
1.244

19.013

452

12.496 to find W

Back to F

79.33R

N 22.48 E

5.000
4.052

4.916
4.010

(91.26% along line)

4.935

4.935

4.925

4.925

4.710

4.707

3.544

3.711

0.304

10.388