

C.S. # 1224

Hardcopy 13-7 #1

also see notes in file

F. B. 74-7

FB#174 Pgs 728

C.S. #108

Beg. of peg on N. line of Allen Hayden
D.L.C. #37 T13-G, 24.473 chs.
East of N.W. cor. of 81.
Thence West +19.47' 974
West .055

1 Set 3/4" pipe

2 N. 25° 52' W. -3° 15' 4.016 = 4.01

3 Set 3/4" pipe

N 61° 42' E. -1° 45' 5.553 + 3/4" pipe
1.649 + 228 of time

4 Set 3/4" pipe E. of 1/2" pipe

54 40' N 36° 30' W. .057

1 1/4" shaft S. 82° 15' W. .112

5 S. 31° 43' E. -1° 53' 8.000
.531

6 Δ 137 8 89° 59' E. of 3/4" pipe
+9.45' 1.845 incl. line
619

(Plot in total 306 to Δ)

2441 - to 1/2" pipe

Back to Δ 6
N 89° 59' W.

Set 3/4" pipe at Road fence
2.142

A. E. Corey to Ore. State Game Comm.

Jan. 12, 1934

1224

916
955
971

5550
528
5378
5550
1649
7199
528
7127

21805 + 3° 10' = 21177
1649
5550
16216

100 - 215 ft. work 2.36 3.39 - 4.37
500 37, 600, 35, 700, 30, 18.15

7996
219
8215

1818
2441
4259
4137
4392 = 29014

2142
137
2,005/1333

45°20'	2.122	3228	N29°41'W	.071 E
2.131	2.829	1" Rod	0-0.40 R.P. Riv	.166 E
-7°30'	6.187	4983'	0 + 6.0 R.P. Riv	.374 E
2.853	2.676	9766	Δ-1.00 L. Riv Riv	.464 E
6.187	4.130	2726		.603 E
2.679				.671 E
4.222				.771 E
+18°00'	1.356	815	N3°14'W	.028 W
1.426	2.048	1552	N4°47'W	.097 W
2.048		0°0'		.843 E
+14°08'	3.060	2020		.946 E
3.156	3.218	11		1.054 E
3.223		2124		
00	4.478	1504 R		
4.637	4.637	2955	N13°01'	1.204 E
			Stone Cr	N.E. Hydrant
	32.104			
	= 32.122			

192732
192732
2120052

39.861	44°21'	10°20 AM
13049 L		
0.28 W		
0.91 W		
1.25 W		
1.204 E		
1.0790		
96842		
1.0336		
1.558		
96302		
1.92380		
0.70		
0.83		
1.63		
1.804		
547		
1088		
455		
1.36		
571		
0.85		
688		
848		
604		
047		
675		
097		
571		
101		
679		
106		
785		
147		
952		
0.071		
0.085		
1.66		
1.88		
374		
0.90		
1.464		
1.59		
603		
0.96		
0.49		
0.28		
0.28		
0.17		
0.47		
0.43		
1.03		
0.96		
1.08		
1.054		
1.054		
1.206		

Stone 10x10x15
71.50' N15°W. 21
Maple 11.553' W. 66

Casting

64.147

20731-