

C.S. # 1451

Hardcopy 11-6#1

also see notes in file

F. B. 55-99

99 1451

FB#55

C.S. #339

Beginning at 3/4" iron rod

2 T. 11 - checked from $\Delta 37$ to $38 + 39$ Thence N. $89^{\circ}00'E$ correction N. $2^{\circ}30'$ (N. $86^{\circ}30'E$ 80.325)

| | | | | |
|---|----------------|---------------------|-------|---------------|
| 1 | L.R. 10 | { +10°09' | 4.885 | offset .0845 |
| 2 | | { 0° | 1.519 | offset .0263 |
| 3 | L.L. 1°57' | { -13°25' | 5.190 | offset .172 M |
| | L.R. 7 3/4' | { -13°40' | 5.882 | |
| 4 | | { -4°10' | 6.270 | offset .0275 |
| 5 | | -20°40' | 1.168 | |
| 6 | | -25°58' | 2.596 | |
| | L.L. 10 1/2' | { -26°32' | 7.993 | |
| 7 | | { -14° | 1.935 | offset .028 M |
| 8 | L.L. 1°22 3/5' | { -13°45' | 5.224 | offset .122 M |
| | | S. $86^{\circ}30'W$ | -7.48 | |
| | | and N. 1°W | 1.596 | |

| | | | | |
|----|-------------|-----------|-------|---------------|
| 9 | L.L. 5 3/4' | { +16°21' | 3.372 | offset .051 M |
| 10 | | { 0° | 1.084 | offset .017 M |
| 11 | | { -16°02' | 3.553 | |

For T. J. Starker

Oct. 31,

100

1939

See page 63 and 65

| | | | |
|-----------------------|-----------|-----------|--------|
| 98413 | 01745 | 01745 | 4808 |
| 4888 | 48 | 152 | |
| 492175 | 13960 | 3480 | 1.519 |
| 787480 | 6980 | 48725 | 5.045 |
| 787480 | .083760 | 1745 | 5.715 |
| 393740 | | .0265240 | |
| 480854975 | | .97271 | 6.253 |
| S. of ridge | | 5.19 | 23.340 |
| | | 875439 | 1.093 |
| | | 97271 | 2.334 |
| | | 486355 | 7.151 |
| Spike in top of stump | | 50483649 | 1.877 |
| 97169 | 99736 | 3403 | 5.073 |
| 5882 | 627 | 15144 | |
| 194338 | 498152 | 20192 | |
| 777352 | 199472 | 15144 | |
| 777352 | 598416 | 17178344 | 40.868 |
| 485845 | 6.253477 | | 40.120 |
| 571548058 | .95956 | .748 | 1.084 |
| | 3372 | | 3.514 |
| | 191912 | .01585 | 48.701 |
| | 671692 | 1.084 | |
| from 0° | 287868 | 6340 | |
| 287868 | | 12680 | |
| 323563632 | | 1585 | |
| | | 1718140 | |
| | .01585 | | |
| | 16175 | .2611 | |
| | 25880 | 3553 | |
| | 16175 | 28833 | |
| | 3235 | 57055 | |
| | | 57053 | |
| | .05127475 | 28833 | |
| | | 3.5137883 | |

C. 100 or N.

Pitch stake on line

| | | | | |
|----------|----------------|----------|-------|----------------|
| spike 12 | LL. 1° 09 1/2' | +18° 12' | 5.514 | offset .106 N. |
| 13 | LR. 1° 03 3/4' | -8° 20' | 4.693 | offset .086 S. |
| 14 | LL. 1° 35 1/2' | +9° 24' | 1.406 | offset .039 N. |

Pitch stake s. of spike in root on s. hill slope
2.0 chs. s. of sta. 12

| | | | | |
|---------|-----------------|----------------|-----------------|------------------|
| 15 | | -4° 41' | 5.394 | |
| 16 | | +11° 20' | 4.940 | |
| 17 | | +12° 15' | .590 | |
| 18 | | +22° 02' | 2.038 | |
| 19 | | +5° 55' | 3.680 | |
| 20 | | +19° 10' | 3.514 | |
| 21 | LL. 90° | | 66.96' = 1.0145 | offset 1.0145 N. |
| 22 | Recst | | 76.06' = 1.1524 | offset 1.1524 N. |
| 23 cor. | LL. 59° 01 1/2' | 79.1' = 1.1985 | | offset 1.0276 N. |

TII-586 set 1/2" X 39" galv. pipe
 1/6 Maple 8" N. 10 1/2° E. 65 down
 " 12" N. 80° W. 28 std. Found BT.
 Top blaze ex marks but 1/4 S rotted out
 N.K.D. Fir 60" at top blaze S. 52° E. 15.13'
 " " 22" S. 21° W. 25.1'
 Blazes on 70" fir S 10° 50' W.

2.541 N.
 2.753 N.
 2.862 N.
 3.022 N.
 3.086 corrected back to 3.022 N.
 1.116 corrected back to 1.086 N.

| | | | |
|-----------|--------------------------|--|------|
| 94997 | 98944 | 98657 | |
| 5.514 | 4.693 | 5.194 | |
| 379988 | 296832 | 394628 | |
| 474985 | 593664 | 78257 | |
| 474985 | 395776 | 134711742 | |
| 525813458 | 464344192 | 102778 | |
| 5258 | 01852 | 11096 | |
| 3022 | 9286 | 9709 | |
| 10476 | 23215 | 2274 | |
| 10476 | 23215 | .03853086 | 9805 |
| 76 | 4673 | 4.94 | 85 |
| 10591236 | 0859836 | 39220 | |
| | | 39220 | |
| | | 4843070 | |
| 1.85 | Cr. 2 N. | | |
| 1.75 | Cr. 2 N.E. Intersect 4.0 | | |
| .97723 | 92697 | 99467 | |
| .59 | 2038 | 3.68 | |
| 879507 | 741576 | 795736 | |
| 482615 | 278091 | 594802 | |
| 5765657 | 185394 | 298401 | |
| | 188916486 | 3.6603856 | |
| | 94457 | | |
| | 3514 | | |
| | 377828 | | |
| | 34457 | | |
| | 474285 | | |
| | 28327 | | |
| | 331921898 | | |
| | LR. 30° 58 1/2' | from Lst line = N. 29° 58 1/2' E. or N. 29° 57 3/4' E. | |
| | offsets | | |
| | Mr. S. 1937 | .084 S. | |
| | Alvin soils | .026 S. | |
| | Jack Okeman | .180 S. | |
| | Ralph | .172 N. | |
| | Harold | .062 N. | |
| | | .037 S. | |
| | | .035 N. | |
| | | .028 N. | |
| | | .122 N. | |
| | | .051 N. | |
| | | .017 N. | |
| | | .106 N. | |
| | | 359 N. | |
| | | 1056 S. | |
| | | 273 N. | |
| | | 039 N. | |
| | | 1.0145 N. | |
| | | 1.1524 N. | |
| | | 1.027 N. | |
| | | 3.5059 N. | |
| | | .0084 S. - for 3/4 of cen. sec. | |
| | | 3.4975 N. | |

0.4358 = 2° 29 3/4'
 80.2495 3.4975 5.89° W.
 2.28
 5.89° 00' W. 5.86° 32' W.
 2° 29 3/4'
 29° 57 3/4'
 Int. L 5° 34 1/2'
 LR. 30' + 725' 308'
 LL 31 3/4' for parallel to line
 and set stakes over .052 S.