

C.S. # 1568

Hardcopy 10-4 # 24

also see notes in file

F.B. 91-21

6  
12  
18  
24  
30  
36  
42  
48  
54  
60  
66  
72  
78  
84  
90

Book 91  
10-4

ENGINEER'S  
FIELD BOOK  
No. 4047

County Survey #225

Came to 4 sec. on S. of Sec. 35

T10-4 a

Near point of rock .04 X .03 S. 67° W. 479

S. Encorner at bottom S 54° 10' W. 19152

Anchor wire at ground S. 18° W. 186

N. 0° 14' E

-3° 10' 8.000

-2° 20' 8.6778

1

2

Set a 1/2" bolt of iron E. 20°

-1° 06' 8.900

7.331

S 89° 49' E.

correction S. 12'

(S. 89° 37' E.

+0° 50' 8.000

L R. 2° 55'

5.824 to 3/4" pipe

From Δ 2

S. 89° 37' E.

5.809 set 3/4" pipe

N.

From center of sec. 35

S. 0° 14' W.

329.3 5/8" bolt

S. 89° 30 1/2' E.

5.8375

6

For J. J. Johnston

April 4, 1942

15  
120  
2 sec. as  
Com. Sec. 5/8" bolt 12.2' difference  
N. 20° 14' E.  
U.S. B.M. N 43326 W. 500

33.75 H.				
17.00				
16.75				
16				7.988
8900				8.671
104	8.0175 W. of 3/4" pipe			16.659
8796	5.8825	4.15	16.75	.091
2650	13.9000	1.97		16.750
6.146		6.12		8.898
		15.82	.00356	9.331
3° 06'		19.99	071.00	34.979
11'	58.24	19.99	59.82	5.139 to com. 35
2° 55'	1987.6	.00356	11.180	40.118
	40768		9.970	54.979
	46392	.02848	12.100	16.750
	52416			18.229
	58164288			
	178.8			
345.8		500.00	7.999	7.999
2.6		2.1915	5.8075	5.820
339.2	58825	5.8085	2.1915	13.825
	59475			8.0175
	40.065	29.25		5.8075
	26.10	26.10		
	13.965	3.15		
		10.75		
	5.949	13.90		
	0.175	5.8675		
	5.9665	8.0175		
5.8825	8.1195			
	1.015			
	8.0120			
26.70	13.9465	39.945		
8.0175	13.845	26.100		13.9565
34.1175	1.015	13.845		25.9985
		8.0175		39.9550
		5.8275		34.1175
		5.8175		5.8375
		17.010		

7

13.9565 set  
 +.1015 3/4" pipe S. 20'  
 25.9985

To 1" pipe on east line of Sec. 35  
 From Δ 6 S. 0° 19 1/2' W.

at 20' set 3/4" pipe

9.350  
 +.084

To 3/4" pipe

+1°30' 8.8735

58375  
 5809 10156 = 5 1/3  
 18.22 10280  
 18.22 10280  
 11.0014 E 7110  
 51 11700  
 18 1/2

12.003  
 25.9985  
 1015  
 26.1000

13.9565  
 .1015  
 13.8550  
 8.0175  
 5.8375

9.34 58375  
 00156 0145  
 3604 58236  
 4670  
 934 5837  
 5823  
 0145704 211.660 9.434  
 5.83 55.00  
 52.47

5" bell

5.8375

9.350  
 8.870  
 18.220

9.434 9.434  
 7.33 9.434  
 104 9.350  
 .084

2.434

1" rod

23 1/2

5.822  
 1" x 32" iron rod

2.65

4" pipe

5.82  
 iron file

18.229  
 6.146

9.434  
 18.221

1 1/2" pipe  
 2.65  
 1 1/2" pipe

6.136

8.870  
 .084  
 8.786  
 20.50  
 6.136

.00137 = 1/3  
 5.82 0.0080  
 582  
 2180  
 1776  
 4340  
 34  
 9  
 306

265 X  
 582  
 530  
 2180  
 1325  
 1542 30

5.809  
 3" bell  
 iron E. 20'

3/4" pipe

5815  
 6.141  
 5815  
 23260  
 5815  
 34890  
 3.5709915