

C.S. # 241

F.B. 28-76



Field Book 28

MINING
TRANSIT BOOK
369

[Blank white label]

765

241

Continuation of C.S. 289

Continued from page 19 this book

Beg at W.C. 10 North of 4 Sec. cor. 54

Backsighted at Sec. cor. N. 2° 09' E.

S. 52° 41' W. 2.1029

S 2° 09' W. from W.C. 10 N. 2° 09' E. of 4 cor.

N 68° 42' W. 1.323 offset S.

West correction N. 45' 7954

14970

15568 offset

15054 1.159 N.

16254 1.174

Thence N. 0° 35' E. correction N. E. 34'

(No. 39 E. striking E. of NW cor. of four post. 156

4.56 to center

+ 60 ± Muddy

May 3, 1932 E.E. Lorikin Chainman

SW of Jesse Owens by ch. 57

Stone 6x6x11'

10 Oak 180° 30' N. 40° 30' E. 367

" 24 N. 88° 42' W. 176 std.

" 24 S 30° 40' E 225 stump.

N.E. Geo Herbert cl. 70

1/2" pipe by stone

Ash 11x5'

oak 204' N. 47° 30' W. 732

" 36° S 89° 34' W. 850 std.

93169 .36325

1.323 1.323

279507 108975

186338 72650

277507 108975

93169 36325

1.23262587 48057975

offset offsets

173.4 4815.

152 W. 1.159 N.

1075. 678 N

7954

1.323

6.721

17.970

15.568

15.009

52.268

1.250

53.518

16.254

.013

16.241

.025

16.266

.560

.674

17.500