

C.S. # 250

See notes in file

F.B. 9-16

Book #9.

MINING  
TRANSIT BOOK

1881

0

#250

V.B. Pettit

Buy at the cor. of Secs. 5, 6, 7, 8  
in Tp. 1 S. R. 7 W. N. M. and running thence

S 89° W 7.6612 = 809

Thence North. 7.836 = 808

Set 1" iron rod N. 0° 36' = 807

Thence North. 3.165 = 806

Set 3/4" wire rod S. 0° 34' = 805

Thence East E. 1° 23' = 804

drive nail in stump 3.296 = 803

" " 1.006 = 802

Set 3/4" wire rod S. 0° 34' = 801

Back to 1st iron rod. 4.788 = 800

Thence East 2.73 = 799

Set 3/4" iron rod 3.167 = 798

" " 3.507 = 797

+ 10-40 4.154 = 796

Set 1/2 belt S. 0° 34' = 795

Back to North. 2.874 = 794

Set 3/4" iron rod E. 0° 16' = 793

Thence East E. 1° 23' = 792

Set 3/4" iron rod 7.073 = 791

Thence South N. 0° 16' = 790

Thence South 2.942 = 789

3.167 3.167

1.034 3.167

3.388 3.167

3.265 3.167

3.167 3.167

3.098 3.167

3.165 3.167

3.129 3.167

3.034 3.167

3.092 3.167

3.167 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

3.296 3.167

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

2.9242

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23

1.23