

C.S. # 552

Hardcopy 10-4 # 23

also see notes in file

F.B. 21-44

#552

FIB #21 PG. 44-45

44

C.S. #146

continued

June 19, 1916.

Beg. at Stone 4"x8"x8" the N.E. corner
of Anthony Roberts Pl. #55T.10-16

For Abraham Bros.

Ths S. 26' E.

		16.000	
	2°25'	8.000	
1		3679	
	1°45'	8000	
2		1°40'	4900
3		- .566	
		W. 100	

Note in
top board
line con.
bottom board43.064
40.566
2.498

16.000
7.993
3.679
27.672
7.996
4.898
40.566

Set 3 1/4" x 3 1/4" x 2.6" glass

4	S. 85° E.	.101
5	4°5'	4.656
6	50'	4.689
7		7.736
8		7.508
9		6.465
10		2.652
11		1.560
		1.036

.101
4.644
4.688
7.736
7.508
6.465
2.652
1.560
35.354
.036
35.390

N. 16° 4' E	3.329
S. 16° 4' W	3.408
	0.737

45

S. 30° 30' W.

6689

from
Hogon 7.100
Pa

set 1 1/4" pipe

N 72° 55' W.

- .062

3° 30' 3052

9812

6° 1801

6° 35' 1277

4° 15' 1026

4876

1° 5' 4030

3968

N. 16° 46' E.

4148

19.607
6.282
7.411
4.06.283
1.402
6.089

589

7.411

104
012

388

3046

.062

2.984

9.812

1.792

1.269

1.025

4876

4.029

3.961

29.757

39

#552

FIB #21 PG. 44-45

44

C.S. #146

continued

June 19, 1916.

Beg. at Stone 4"x8"x8" the N.E. corner
of Anthony Roberts Pl. #55T.10-16

For Abraham Bros.

Ths S. 26' E.

		16.000	
	2°25'	8.000	
1		3679	
	1°45'	8000	
2		1°40'	4900
3		- .566	
		W. 100	

Note in
top board
line con.
bottom board43.064
40.566
2.498

16.000
7.993
3.679
27.672
7.996
4.898
40.566

Set 3 1/4" x 3 1/4" x 2.6" glass

4	S. 85° E.	.101
5	4°5'	4.656
6	50'	4.689
7		7.736
8		7.508
9		6.465
10		2.652
11		1.560
		1.036

.101
4.644
4.688
7.736
7.508
6.465
2.652
1.560
35.354
.036
35.390

N. 16° 4' E	3.329
S. 16° 4' W	3.408
	0.737

45

S. 30° 30' W.

6689

from
Hogon 7.100
Pa

set 1 1/4" pipe

N 72° 55' W.

- .062

3° 30' 3052

9812

6° 1.801

6° 35' 1.277

4° 15' 1.026

4.876

1° 5' 4.030

3968

N. 16° 46' E.

4148

19.607
6.285
7.411
4.0

589

7.411

104
010

388

6.285
7.411
3.089

3.046

.062

2.984

9.812

1.792

1.269

1.025

4.876

4.029

3.961

29.757

39